

Table 4**Increased winter mortality - underlying death registrations, Scotland, 1990/91 - 2007/08**

Period	Number of deaths registered			Seasonal difference ¹	
	Winter (Dec - Mar)	Preceding period (Aug - Nov)	Following period (Apr - Jul)	(actual)	(rounded)
1990/91	21,859	19,103	19,752	2,432	2,430
1991/92	22,217	19,305	19,352	2,889	2,890
1992/93	22,416	19,417	19,929	2,743	2,740
1993/94	22,504	21,104	18,732	2,586	2,590
1994/95	21,510	19,103	19,301	2,308	2,310
1995/96	22,821	19,074	19,260	3,654	3,650
1996/97	22,438	18,585	19,005	3,643	3,640
1997/98	21,320	18,311	19,105	2,612	2,610
1998/99	23,163	18,856	17,973	4,749	4,750
1999/2000	23,379	18,407	17,974	5,189	5,190
2000/01	20,388	18,061	18,281	2,217	2,220
2001/02	20,366	18,239	18,815	1,839	1,840
2002/03	21,058	18,599	18,499	2,509	2,510
2003/04	21,024	18,616	17,749	2,842	2,840
2004/05	20,658	18,064	17,736	2,758	2,760
2005/06	19,651	17,619	18,127	1,778	1,780
2006/07	20,384	17,526	17,739	2,752	2,750
2007/08 prov.	19,900	17,600	17,850	2,175	2,180

1. The seasonal difference is the number of deaths in the "winter" period less the average of the preceding period plus the following period.