

**Table 6.2** Deaths, numbers and rates, by sex, age and cause, Scotland, 2005

ICD10 Summary list	Cause of death		Numbers													
			All ages	Weeks		1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
				<4	4-											
	<b>All causes</b>	<b>All</b>	<b>55,747</b>	<b>190</b>	<b>94</b>	<b>60</b>	<b>30</b>	<b>48</b>	<b>369</b>	<b>548</b>	<b>1,388</b>	<b>2,727</b>	<b>5,794</b>	<b>11,193</b>	<b>18,311</b>	<b>14,995</b>
		<b>M</b>	<b>26,522</b>	<b>107</b>	<b>52</b>	<b>33</b>	<b>19</b>	<b>30</b>	<b>256</b>	<b>385</b>	<b>882</b>	<b>1,654</b>	<b>3,478</b>	<b>6,352</b>	<b>8,691</b>	<b>4,583</b>
		<b>F</b>	<b>29,225</b>	<b>83</b>	<b>42</b>	<b>27</b>	<b>11</b>	<b>18</b>	<b>113</b>	<b>163</b>	<b>506</b>	<b>1,073</b>	<b>2,316</b>	<b>4,841</b>	<b>9,620</b>	<b>10,412</b>
<b>A00-B99</b>	<b>I. Certain infectious and parasitic diseases</b>	<b>M</b>	<b>318</b>	<b>-</b>	<b>2</b>	<b>3</b>	<b>-</b>	<b>-</b>	<b>2</b>	<b>7</b>	<b>18</b>	<b>38</b>	<b>32</b>	<b>50</b>	<b>94</b>	<b>72</b>
		<b>F</b>	<b>401</b>	<b>-</b>	<b>3</b>	<b>2</b>	<b>-</b>	<b>-</b>	<b>3</b>	<b>6</b>	<b>7</b>	<b>15</b>	<b>37</b>	<b>53</b>	<b>140</b>	<b>135</b>
A15-19, B90	Tuberculosis	M	21	-	-	-	-	-	-	2	1	2	4	3	8	1
		F	28	-	-	-	-	-	-	1	1	2	2	5	13	4
A39	Meningococcal infection	M	3	-	-	1	-	-	1	-	-	1	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-
B15-19	Viral hepatitis	M	11	-	-	-	-	-	-	-	3	6	1	1	-	-
		F	5	-	-	-	-	-	-	1	-	1	2	-	1	-
B20-24	Human immunodeficiency virus (HIV) disease	M	25	-	-	-	-	-	2	9	11	2	1	-	-	-
		F	6	-	-	-	-	-	2	2	1	1	-	-	-	-
<b>C00-D48</b>	<b>II. Neoplasms</b>	<b>M</b>	<b>7,782</b>	<b>-</b>	<b>2</b>	<b>1</b>	<b>5</b>	<b>8</b>	<b>12</b>	<b>34</b>	<b>129</b>	<b>446</b>	<b>1,293</b>	<b>2,398</b>	<b>2,583</b>	<b>871</b>
		<b>F</b>	<b>7,626</b>	<b>-</b>	<b>1</b>	<b>5</b>	<b>2</b>	<b>4</b>	<b>10</b>	<b>36</b>	<b>193</b>	<b>475</b>	<b>1,153</b>	<b>1,920</b>	<b>2,493</b>	<b>1,334</b>
C00-97	Malignant neoplasms	M	7,664	-	1	1	5	8	12	33	128	442	1,285	2,371	2,541	837
		F	7,471	-	1	5	2	4	9	36	190	470	1,143	1,904	2,445	1,262
C00-14	Malignant neoplasms of lip, oral cavity and pharynx	M	171	-	-	-	-	-	-	-	5	24	52	51	31	8
		F	71	-	-	-	-	-	-	-	1	5	17	11	22	15
C15	Malignant neoplasm of oesophagus	M	495	-	-	-	-	-	-	-	6	37	114	151	149	38
		F	303	-	-	-	-	-	-	1	3	10	33	83	120	53
C16	Malignant neoplasm of stomach	M	342	-	-	-	-	-	-	1	6	14	44	109	129	39
		F	248	-	-	-	-	-	-	1	5	13	21	57	108	43
C18	Malignant neoplasm of colon	M	485	-	-	-	-	-	-	-	3	24	81	138	175	64
		F	481	-	-	-	-	-	-	-	6	32	53	104	171	115
C19-21	Malignant neoplasm of rectum and anus	M	375	-	-	-	-	-	-	2	7	13	73	136	109	35
		F	234	-	-	-	-	-	-	1	2	17	32	47	83	52
C22	Malignant neoplasm of liver and intrahepatic bile ducts	M	189	-	-	-	-	-	-	-	3	11	36	67	64	8
		F	131	-	-	-	-	-	-	-	2	3	18	45	44	19
C25	Malignant neoplasm of pancreas	M	284	-	-	-	-	-	-	1	6	16	66	84	84	27
		F	319	-	-	-	-	-	-	-	3	8	56	101	101	50
C32	Malignant neoplasm of larynx	M	81	-	-	-	-	-	-	-	-	5	19	26	20	11
		F	25	-	-	-	-	-	-	-	-	3	7	5	7	3
C33-34	Malignant neoplasm of trachea bronchus and lung	M	2,195	-	-	-	-	-	-	-	19	120	414	748	728	166
		F	1,814	-	-	-	-	-	-	1	19	84	315	559	650	186
C43	Malignant melanoma of skin	M	87	-	-	-	-	-	1	1	8	12	12	18	23	12
		F	71	-	-	-	-	-	-	2	7	7	13	11	17	14
C50	Malignant neoplasm of breast	M	7	-	-	-	-	-	-	-	-	-	-	4	2	1
		F	1,144	-	-	-	-	-	-	7	62	148	223	220	280	204
C53	Malignant neoplasm of cervix uteri	F	127	-	-	-	-	-	-	6	23	15	18	25	30	10
C54-55	Malignant neoplasm of other parts of the uterus	F	136	-	-	-	-	-	-	-	1	4	20	37	53	21
C56	Malignant neoplasm of ovary	F	366	-	-	-	-	-	-	2	4	36	68	121	96	39
C61	Malignant neoplasm of prostate	M	765	-	-	-	-	-	-	-	-	8	46	192	332	187
C64	Malignant neoplasm of kidney, except renal pelvis	M	181	-	-	-	-	-	-	-	3	16	32	51	62	17
		F	160	-	-	-	-	-	-	-	3	9	19	48	58	23
C67	Malignant neoplasm of bladder	M	281	-	-	-	-	-	-	-	1	13	28	78	110	51
		F	176	-	-	-	-	-	-	1	2	3	14	33	67	56
C81-96	Malignant neoplasm of lymphoid, haematopoietic and related tissue	M	509	-	-	-	2	-	8	14	15	33	76	160	146	55
		F	503	-	-	3	-	1	2	8	12	16	46	140	170	105
<b>D50-89</b>	<b>III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism</b>	<b>M</b>	<b>46</b>	<b>-</b>	<b>-</b>	<b>2</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>4</b>	<b>2</b>	<b>3</b>	<b>3</b>	<b>9</b>	<b>14</b>	<b>8</b>
		<b>F</b>	<b>72</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>2</b>	<b>-</b>	<b>-</b>	<b>2</b>	<b>5</b>	<b>13</b>	<b>27</b>	<b>23</b>
<b>E00-90</b>	<b>IV. Endocrine, nutritional and metabolic diseases</b>	<b>M</b>	<b>451</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>-</b>	<b>3</b>	<b>7</b>	<b>8</b>	<b>10</b>	<b>32</b>	<b>45</b>	<b>141</b>	<b>144</b>	<b>58</b>
		<b>F</b>	<b>537</b>	<b>2</b>	<b>1</b>	<b>3</b>	<b>2</b>	<b>3</b>	<b>6</b>	<b>5</b>	<b>6</b>	<b>14</b>	<b>47</b>	<b>114</b>	<b>178</b>	<b>156</b>
E10-E14	Diabetes mellitus	M	347	-	-	-	-	1	4	5	9	19	32	109	121	47
		F	398	-	-	-	-	-	1	3	3	11	32	94	139	115
<b>F00-99</b>	<b>V. Mental and behavioural disorders</b>	<b>M</b>	<b>976</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>30</b>	<b>69</b>	<b>104</b>	<b>98</b>	<b>89</b>	<b>88</b>	<b>230</b>	<b>268</b>
		<b>F</b>	<b>1,478</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>6</b>	<b>15</b>	<b>31</b>	<b>27</b>	<b>42</b>	<b>54</b>	<b>412</b>	<b>890</b>
F10	Mental and behavioural disorders due to use of alcohol	M	255	-	-	-	-	-	3	10	34	79	77	40	9	3
		F	88	-	-	-	-	-	-	2	11	23	34	12	6	-
F11-16, F18-19	Mental and behavioural disorders due to use of drugs	M	177	-	-	-	-	-	27	59	70	17	4	-	-	-
		F	40	-	-	-	-	-	5	13	19	2	1	-	-	-
<b>G00-H95</b>	<b>VI-VIII. Diseases of the nervous system and the sense organs</b>	<b>M</b>	<b>578</b>	<b>-</b>	<b>4</b>	<b>7</b>	<b>4</b>	<b>4</b>	<b>16</b>	<b>22</b>	<b>24</b>	<b>47</b>	<b>49</b>	<b>128</b>	<b>164</b>	<b>109</b>
		<b>F</b>	<b>728</b>	<b>1</b>	<b>4</b>	<b>5</b>	<b>2</b>	<b>-</b>	<b>7</b>	<b>5</b>	<b>19</b>	<b>43</b>	<b>53</b>	<b>123</b>	<b>214</b>	<b>252</b>
G00-03	Meningitis	M	8	-	-	-	-	-	-	1	-	-	1	5	1	-
		F	10	1	-	-	-	-	-	-	-	1	4	1	3	-

ICD10 Summary list	Cause of death		Death rates per 100,000 population												
			All ages	0	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>All causes</b>	<b>All</b>	<b>All</b>	<b>1,094</b>	<b>521</b>	<b>28</b>	<b>11</b>	<b>15</b>	<b>56</b>	<b>87</b>	<b>175</b>	<b>389</b>	<b>945</b>	<b>2,451</b>	<b>6,408</b>	<b>16,542</b>
	<b>M</b>	<b>M</b>	<b>1,080</b>	<b>566</b>	<b>31</b>	<b>13</b>	<b>19</b>	<b>76</b>	<b>125</b>	<b>231</b>	<b>482</b>	<b>1,165</b>	<b>3,051</b>	<b>7,775</b>	<b>18,093</b>
	<b>F</b>	<b>F</b>	<b>1,108</b>	<b>474</b>	<b>26</b>	<b>8</b>	<b>12</b>	<b>35</b>	<b>51</b>	<b>123</b>	<b>300</b>	<b>736</b>	<b>1,948</b>	<b>5,530</b>	<b>15,940</b>
<b>A00-B99 I. Certain infectious and parasitic diseases</b>	<b>M</b>	<b>M</b>	<b>13</b>	<b>7</b>	<b>3</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>2</b>	<b>5</b>	<b>11</b>	<b>11</b>	<b>24</b>	<b>84</b>	<b>284</b>
	<b>F</b>	<b>F</b>	<b>15</b>	<b>11</b>	<b>2</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>4</b>	<b>12</b>	<b>21</b>	<b>80</b>	<b>207</b>
A15-19, B90 Tuberculosis	<b>M</b>	<b>M</b>	<b>1</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>7</b>	<b>4</b>
	<b>F</b>	<b>F</b>	<b>1</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>7</b>	<b>6</b>
A39 Meningococcal infection	<b>M</b>	<b>M</b>	<b>0</b>	<b>-</b>	<b>1</b>	<b>-</b>	<b>-</b>	<b>0</b>	<b>-</b>	<b>-</b>	<b>0</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
	<b>F</b>	<b>F</b>	<b>0</b>	<b>4</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
B15-19 Viral hepatitis	<b>M</b>	<b>M</b>	<b>0</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>-</b>	<b>-</b>
	<b>F</b>	<b>F</b>	<b>0</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0</b>	<b>-</b>	<b>0</b>	<b>1</b>	<b>-</b>	<b>2</b>
B20-24 Human immunodeficiency virus (HIV) disease	<b>M</b>	<b>M</b>	<b>1</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>1</b>	<b>0</b>	<b>-</b>	<b>-</b>
	<b>F</b>	<b>F</b>	<b>0</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>-</b>	<b>-</b>	<b>-</b>
<b>C00-D48 II. Neoplasms</b>	<b>M</b>	<b>M</b>	<b>317</b>	<b>7</b>	<b>1</b>	<b>3</b>	<b>5</b>	<b>4</b>	<b>11</b>	<b>34</b>	<b>130</b>	<b>433</b>	<b>1,152</b>	<b>2,311</b>	<b>3,439</b>
	<b>F</b>	<b>F</b>	<b>289</b>	<b>4</b>	<b>5</b>	<b>1</b>	<b>3</b>	<b>3</b>	<b>11</b>	<b>47</b>	<b>133</b>	<b>366</b>	<b>773</b>	<b>1,433</b>	<b>2,042</b>
C00-97 Malignant neoplasms	<b>M</b>	<b>M</b>	<b>312</b>	<b>4</b>	<b>1</b>	<b>3</b>	<b>5</b>	<b>4</b>	<b>11</b>	<b>33</b>	<b>129</b>	<b>430</b>	<b>1,139</b>	<b>2,273</b>	<b>3,304</b>
	<b>F</b>	<b>F</b>	<b>283</b>	<b>4</b>	<b>5</b>	<b>1</b>	<b>3</b>	<b>3</b>	<b>11</b>	<b>46</b>	<b>131</b>	<b>363</b>	<b>766</b>	<b>1,405</b>	<b>1,932</b>
C00-14 Malignant neoplasms of lip, oral cavity and pharynx	<b>M</b>	<b>M</b>	<b>7</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>7</b>	<b>17</b>	<b>24</b>	<b>28</b>	<b>32</b>
	<b>F</b>	<b>F</b>	<b>3</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0</b>	<b>1</b>	<b>5</b>	<b>4</b>	<b>13</b>	<b>23</b>
C15 Malignant neoplasm of oesophagus	<b>M</b>	<b>M</b>	<b>20</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>2</b>	<b>11</b>	<b>38</b>	<b>73</b>	<b>133</b>	<b>150</b>
	<b>F</b>	<b>F</b>	<b>11</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0</b>	<b>1</b>	<b>3</b>	<b>10</b>	<b>33</b>	<b>69</b>	<b>81</b>
C16 Malignant neoplasm of stomach	<b>M</b>	<b>M</b>	<b>14</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0</b>	<b>2</b>	<b>4</b>	<b>15</b>	<b>52</b>	<b>115</b>	<b>154</b>
	<b>F</b>	<b>F</b>	<b>9</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0</b>	<b>1</b>	<b>4</b>	<b>7</b>	<b>23</b>	<b>62</b>	<b>66</b>
C18 Malignant neoplasm of colon	<b>M</b>	<b>M</b>	<b>20</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>7</b>	<b>27</b>	<b>66</b>	<b>157</b>	<b>253</b>
	<b>F</b>	<b>F</b>	<b>18</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>9</b>	<b>17</b>	<b>42</b>	<b>98</b>	<b>176</b>
C19-21 Malignant neoplasm of rectum and anus	<b>M</b>	<b>M</b>	<b>15</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>2</b>	<b>4</b>	<b>24</b>	<b>65</b>	<b>98</b>	<b>138</b>
	<b>F</b>	<b>F</b>	<b>9</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>5</b>	<b>10</b>	<b>19</b>	<b>48</b>	<b>80</b>
C22 Malignant neoplasm of liver and intrahepatic bile ducts	<b>M</b>	<b>M</b>	<b>8</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>3</b>	<b>12</b>	<b>32</b>	<b>57</b>	<b>32</b>
	<b>F</b>	<b>F</b>	<b>5</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0</b>	<b>1</b>	<b>6</b>	<b>18</b>	<b>25</b>	<b>29</b>
C25 Malignant neoplasm of pancreas	<b>M</b>	<b>M</b>	<b>12</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0</b>	<b>2</b>	<b>5</b>	<b>22</b>	<b>40</b>	<b>75</b>	<b>107</b>
	<b>F</b>	<b>F</b>	<b>12</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>2</b>	<b>18</b>	<b>41</b>	<b>58</b>	<b>77</b>
C32 Malignant neoplasm of larynx	<b>M</b>	<b>M</b>	<b>3</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>6</b>	<b>12</b>	<b>18</b>	<b>43</b>
	<b>F</b>	<b>F</b>	<b>1</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>4</b>	<b>5</b>
C33-34 Malignant neoplasm of trachea bronchus and lung	<b>M</b>	<b>M</b>	<b>89</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>5</b>	<b>35</b>	<b>139</b>	<b>359</b>	<b>651</b>	<b>655</b>
	<b>F</b>	<b>F</b>	<b>69</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0</b>	<b>5</b>	<b>23</b>	<b>100</b>	<b>225</b>	<b>374</b>	<b>285</b>
C43 Malignant melanoma of skin	<b>M</b>	<b>M</b>	<b>4</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>9</b>	<b>21</b>	<b>47</b>
	<b>F</b>	<b>F</b>	<b>3</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>4</b>	<b>4</b>	<b>10</b>	<b>21</b>
C50 Malignant neoplasm of breast	<b>M</b>	<b>M</b>	<b>0</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>2</b>	<b>2</b>	<b>4</b>
	<b>F</b>	<b>F</b>	<b>43</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>2</b>	<b>15</b>	<b>41</b>	<b>71</b>	<b>89</b>	<b>161</b>	<b>312</b>
C53 Malignant neoplasm of cervix uteri	<b>F</b>	<b>F</b>	<b>5</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>2</b>	<b>6</b>	<b>4</b>	<b>6</b>	<b>10</b>	<b>17</b>	<b>15</b>
C54-55 Malignant neoplasm of other parts of the uterus	<b>F</b>	<b>F</b>	<b>5</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0</b>	<b>1</b>	<b>6</b>	<b>15</b>	<b>30</b>	<b>32</b>
C56 Malignant neoplasm of ovary	<b>F</b>	<b>F</b>	<b>14</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>1</b>	<b>10</b>	<b>22</b>	<b>49</b>	<b>55</b>	<b>60</b>
C61 Malignant neoplasm of prostate	<b>M</b>	<b>M</b>	<b>31</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>2</b>	<b>15</b>	<b>92</b>	<b>297</b>	<b>738</b>
C64 Malignant neoplasm of kidney, except renal pelvis	<b>M</b>	<b>M</b>	<b>7</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>5</b>	<b>11</b>	<b>24</b>	<b>55</b>	<b>67</b>
	<b>F</b>	<b>F</b>	<b>6</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>3</b>	<b>6</b>	<b>19</b>	<b>33</b>	<b>35</b>
C67 Malignant neoplasm of bladder	<b>M</b>	<b>M</b>	<b>11</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0</b>	<b>4</b>	<b>9</b>	<b>37</b>	<b>98</b>	<b>201</b>
	<b>F</b>	<b>F</b>	<b>7</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>4</b>	<b>13</b>	<b>39</b>	<b>86</b>
C81-96 Malignant neoplasm of lymphoid, haematopoietic and related tissue	<b>M</b>	<b>M</b>	<b>21</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>-</b>	<b>2</b>	<b>5</b>	<b>4</b>	<b>10</b>	<b>25</b>	<b>77</b>	<b>131</b>	<b>217</b>
	<b>F</b>	<b>F</b>	<b>19</b>	<b>-</b>	<b>3</b>	<b>-</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>15</b>	<b>56</b>	<b>98</b>	<b>161</b>
<b>D50-89 III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism</b>	<b>M</b>	<b>M</b>	<b>2</b>	<b>-</b>	<b>2</b>	<b>-</b>	<b>-</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>4</b>	<b>13</b>	<b>32</b>
	<b>F</b>	<b>F</b>	<b>3</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>2</b>	<b>5</b>	<b>16</b>	<b>35</b>
<b>E00-90 IV. Endocrine, nutritional and metabolic diseases</b>	<b>M</b>	<b>M</b>	<b>18</b>	<b>7</b>	<b>1</b>	<b>-</b>	<b>2</b>	<b>2</b>	<b>3</b>	<b>3</b>	<b>9</b>	<b>15</b>	<b>68</b>	<b>129</b>	<b>229</b>
	<b>F</b>	<b>F</b>	<b>20</b>	<b>11</b>	<b>3</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>4</b>	<b>15</b>	<b>46</b>	<b>102</b>	<b>239</b>
E10-E14 Diabetes mellitus	<b>M</b>	<b>M</b>	<b>14</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>6</b>	<b>11</b>	<b>52</b>	<b>108</b>	<b>186</b>
	<b>F</b>	<b>F</b>	<b>15</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>3</b>	<b>10</b>	<b>38</b>	<b>80</b>	<b>176</b>
<b>F00-99 V. Mental and behavioural disorders</b>	<b>M</b>	<b>M</b>	<b>40</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>9</b>	<b>22</b>	<b>27</b>	<b>29</b>	<b>30</b>	<b>42</b>	<b>206</b>	<b>1,058</b>
	<b>F</b>	<b>F</b>	<b>56</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>2</b>	<b>5</b>	<b>8</b>	<b>8</b>	<b>13</b>	<b>22</b>	<b>237</b>	<b>1,363</b>
F10 Mental and behavioural disorders due to use of alcohol	<b>M</b>	<b>M</b>	<b>10</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>3</b>	<b>9</b>	<b>23</b>	<b>26</b>	<b>19</b>	<b>8</b>	<b>12</b>
	<b>F</b>	<b>F</b>	<b>3</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>3</b>	<b>6</b>	<b>11</b>	<b>5</b>	<b>3</b>	<b>-</b>
F11-16, F18-19 Mental and behavioural disorders due to use of drugs	<b>M</b>	<b>M</b>	<b>7</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>8</b>	<b>19</b>	<b>18</b>	<b>5</b>	<b>1</b>	<b>-</b>	<b>-</b>	<b>-</b>
	<b>F</b>	<b>F</b>	<b>2</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>2</b>	<b>4</b>	<b>5</b>	<b>1</b>	<b>0</b>	<b>-</b>	<b>-</b>	<b>-</b>
<b>G00-H95 VI-VIII. Diseases of the nervous system and the sense organs</b>	<b>M</b>	<b>M</b>	<b>24</b>	<b>14</b>	<b>7</b>	<b>3</b>	<b>2</b>	<b>5</b>	<b>7</b>	<b>6</b>	<b>14</b>	<b>16</b>	<b>61</b>	<b>147</b>	<b>430</b>
	<b>F</b>	<b>F</b>	<b>28</b>	<b>19</b>	<b>5</b>	<b>1</b>	<b>-</b>	<b>2</b>	<b>2</b>	<b>5</b>	<b>12</b>	<b>17</b>	<b>49</b>	<b>123</b>	<b>386</b>
G00-03 Meningitis	<b>M</b>	<b>M</b>	<b>0</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0</b>	<b>-</b>	<b>-</b>	<b>0</b>	<b>2</b>	<b>1</b>	<b>-</b>
	<b>F</b>	<b>F</b>	<b>0</b>	<b>4</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>2</b>	<b>-</b>

**Table 6.2 (continued)**

ICD10 Summary list	Cause of death		Numbers													
			All ages	Weeks		1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
				<4	4-											
<b>I00-99 IX. Diseases of the circulatory system</b>	M		<b>9,434</b>	-	<b>1</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>10</b>	<b>28</b>	<b>184</b>	<b>455</b>	<b>1,152</b>	<b>2,287</b>	<b>3,460</b>	<b>1,851</b>
	F		<b>10,626</b>	-	-	<b>1</b>	-	<b>1</b>	<b>5</b>	<b>15</b>	<b>72</b>	<b>177</b>	<b>466</b>	<b>1,470</b>	<b>3,798</b>	<b>4,621</b>
I20-25 Ischaemic heart diseases	M		5,629	-	-	-	-	-	1	7	112	315	827	1,510	1,968	889
	F		4,702	-	-	-	-	-	-	3	26	89	245	794	1,777	1,768
I30-33, I39-52 Other heart diseases	M		574	-	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>7</b>	<b>11</b>	<b>25</b>	<b>22</b>	<b>63</b>	<b>101</b>	<b>179</b>	<b>162</b>
	F		883	-	-	<b>1</b>	-	<b>1</b>	<b>1</b>	<b>2</b>	<b>7</b>	<b>10</b>	<b>26</b>	<b>69</b>	<b>253</b>	<b>513</b>
I60-69 Cerebrovascular diseases	M		2,134	-	-	-	-	<b>1</b>	<b>1</b>	<b>7</b>	<b>26</b>	<b>67</b>	<b>133</b>	<b>392</b>	<b>912</b>	<b>595</b>
	F		3,655	-	-	-	-	-	<b>1</b>	<b>4</b>	<b>29</b>	<b>55</b>	<b>124</b>	<b>367</b>	<b>1,249</b>	<b>1,826</b>
<b>J00-99 X. Diseases of the respiratory system</b>	M		<b>3,190</b>	-	<b>1</b>	<b>3</b>	-	-	<b>9</b>	<b>8</b>	<b>28</b>	<b>76</b>	<b>256</b>	<b>666</b>	<b>1,284</b>	<b>859</b>
	F		<b>3,903</b>	-	<b>2</b>	<b>1</b>	<b>2</b>	<b>1</b>	<b>7</b>	<b>4</b>	<b>16</b>	<b>55</b>	<b>185</b>	<b>629</b>	<b>1,377</b>	<b>1,624</b>
J10-11 Influenza	M		6	-	-	<b>1</b>	-	-	-	-	<b>1</b>	-	<b>1</b>	<b>1</b>	<b>2</b>	-
	F		5	-	<b>1</b>	-	-	-	-	-	-	-	-	-	<b>1</b>	<b>3</b>
J12-18 Pneumonia	M		1,026	-	<b>1</b>	-	-	-	<b>3</b>	<b>4</b>	<b>14</b>	<b>25</b>	<b>60</b>	<b>143</b>	<b>366</b>	<b>410</b>
	F		1,457	-	<b>1</b>	-	<b>1</b>	-	<b>1</b>	<b>2</b>	<b>10</b>	<b>17</b>	<b>42</b>	<b>113</b>	<b>405</b>	<b>865</b>
J40-47 Chronic lower respiratory diseases	M		1,412	-	-	<b>1</b>	-	-	<b>2</b>	<b>1</b>	<b>8</b>	<b>28</b>	<b>133</b>	<b>379</b>	<b>630</b>	<b>230</b>
	F		1,615	-	-	-	<b>1</b>	<b>1</b>	<b>3</b>	<b>1</b>	<b>3</b>	<b>22</b>	<b>111</b>	<b>421</b>	<b>695</b>	<b>357</b>
J45-46 Asthma	M		30	-	-	-	-	-	<b>2</b>	<b>1</b>	<b>3</b>	<b>3</b>	<b>1</b>	<b>6</b>	<b>13</b>	<b>1</b>
	F		70	-	-	-	<b>1</b>	<b>1</b>	<b>3</b>	<b>1</b>	<b>3</b>	<b>4</b>	<b>3</b>	<b>12</b>	<b>14</b>	<b>28</b>
<b>K00-93 XI. Diseases of the digestive system</b>	M		<b>1,559</b>	-	<b>1</b>	-	-	-	<b>1</b>	<b>22</b>	<b>114</b>	<b>266</b>	<b>341</b>	<b>334</b>	<b>330</b>	<b>150</b>
	F		<b>1,662</b>	-	-	-	-	<b>1</b>	<b>19</b>	<b>73</b>	<b>161</b>	<b>201</b>	<b>259</b>	<b>456</b>	<b>491</b>	
K25-28 Ulcer of the stomach, duodenum and jejunum	M		106	-	-	-	-	-	-	-	<b>5</b>	<b>7</b>	<b>19</b>	<b>29</b>	<b>32</b>	<b>14</b>
	F		126	-	-	-	-	-	-	-	<b>3</b>	<b>8</b>	<b>5</b>	<b>21</b>	<b>43</b>	<b>46</b>
K70, K73-74 Chronic liver disease	M		736	-	-	-	-	-	<b>1</b>	<b>20</b>	<b>83</b>	<b>211</b>	<b>225</b>	<b>143</b>	<b>50</b>	<b>3</b>
	F		416	-	-	-	-	-	-	<b>14</b>	<b>55</b>	<b>116</b>	<b>118</b>	<b>74</b>	<b>27</b>	<b>12</b>
<b>L00-99 XII. Diseases of the skin and subcutaneous tissue</b>	M		<b>41</b>	-	-	-	-	-	-	-	<b>1</b>	-	<b>8</b>	<b>12</b>	<b>13</b>	<b>7</b>
	F		<b>86</b>	-	-	-	-	-	-	-	<b>1</b>	<b>1</b>	<b>4</b>	<b>15</b>	<b>26</b>	<b>39</b>
<b>M00-99 XIII. Diseases of the musculoskeletal system and connective tissue</b>	M		<b>99</b>	-	-	-	-	-	<b>1</b>	<b>1</b>	<b>1</b>	<b>8</b>	<b>16</b>	<b>25</b>	<b>24</b>	<b>23</b>
	F		<b>227</b>	-	-	-	-	-	-	<b>3</b>	<b>5</b>	<b>8</b>	<b>22</b>	<b>32</b>	<b>72</b>	<b>85</b>
M05-06, M15-19 Rheumatoid arthritis and osteoarthritis	M		29	-	-	-	-	-	-	-	<b>1</b>	<b>2</b>	<b>5</b>	<b>8</b>	<b>5</b>	<b>8</b>
	F		105	-	-	-	-	-	-	<b>1</b>	-	<b>1</b>	<b>10</b>	<b>16</b>	<b>43</b>	<b>34</b>
<b>N00-99 XIV. Diseases of the genitourinary system</b>	M		<b>434</b>	-	-	-	-	-	<b>1</b>	<b>3</b>	-	<b>2</b>	<b>22</b>	<b>70</b>	<b>161</b>	<b>175</b>
	F		<b>629</b>	-	-	-	-	-	-	-	<b>5</b>	<b>3</b>	<b>25</b>	<b>68</b>	<b>212</b>	<b>316</b>
N00-29 Diseases of the kidney and ureter	M		<b>272</b>	-	-	-	-	-	<b>1</b>	<b>1</b>	-	<b>2</b>	<b>17</b>	<b>49</b>	<b>93</b>	<b>109</b>
	F		<b>345</b>	-	-	-	-	-	-	-	<b>4</b>	<b>1</b>	<b>14</b>	<b>37</b>	<b>125</b>	<b>164</b>
O00-99 XV. Pregnancy, childbirth and the puerperium	F		<b>4</b>	-	-	-	-	-	<b>1</b>	<b>2</b>	<b>1</b>	-	-	-	-	-
<b>P00-96 XVI. Certain conditions originating in the perinatal period</b>	M		<b>99</b>	<b>80</b>	<b>17</b>	<b>1</b>	<b>1</b>	-	-	-	-	-	-	-	-	-
	F		<b>65</b>	<b>55</b>	<b>10</b>	-	-	-	-	-	-	-	-	-	-	-
<b>Q00-99 XVII. Congenital malformations, deformations and chromosomal abnormalities</b>	M		<b>88</b>	<b>25</b>	<b>14</b>	<b>8</b>	<b>1</b>	<b>4</b>	<b>6</b>	<b>2</b>	<b>11</b>	<b>9</b>	<b>7</b>	<b>1</b>	-	-
	F		<b>71</b>	<b>23</b>	<b>9</b>	<b>6</b>	-	<b>2</b>	<b>3</b>	<b>4</b>	<b>7</b>	<b>6</b>	<b>7</b>	<b>2</b>	<b>1</b>	<b>1</b>
Q00-07 Congenital malformations of the nervous system	M		10	<b>1</b>	<b>1</b>	<b>1</b>	-	-	-	<b>1</b>	<b>4</b>	<b>1</b>	<b>1</b>	-	-	-
	F		5	<b>3</b>	-	-	-	-	<b>1</b>	-	-	-	-	-	<b>1</b>	-
Q20-28 Congenital malformations of the circulatory system	M		27	<b>9</b>	<b>5</b>	<b>3</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>1</b>	-	-
	F		31	<b>10</b>	<b>4</b>	<b>2</b>	-	-	<b>2</b>	<b>4</b>	<b>6</b>	<b>1</b>	-	<b>1</b>	-	<b>1</b>
<b>R00-99 XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified</b>	M		<b>81</b>	-	<b>8</b>	-	<b>2</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>6</b>	<b>9</b>	<b>7</b>	<b>5</b>	<b>10</b>	<b>30</b>
	F		<b>244</b>	<b>1</b>	<b>11</b>	<b>1</b>	<b>1</b>	-	<b>1</b>	<b>3</b>	<b>6</b>	<b>1</b>	<b>4</b>	<b>5</b>	<b>12</b>	<b>198</b>
R95 Sudden infant death syndrome	M		8	-	<b>8</b>	-	-	-	-	-	-	-	-	-	-	-
	F		12	<b>1</b>	<b>11</b>	-	-	-	-	-	-	-	-	-	-	-
R96-99 Other ill-defined and unknown causes	M		37	-	-	-	<b>2</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>6</b>	<b>9</b>	<b>7</b>	<b>4</b>	<b>3</b>	<b>2</b>
	F		48	-	-	<b>1</b>	<b>1</b>	-	<b>1</b>	<b>3</b>	<b>6</b>	<b>1</b>	<b>4</b>	<b>4</b>	<b>6</b>	<b>21</b>
<b>V01-Y98 XX. External causes of morbidity and mortality</b>	M		<b>1,346</b>	<b>1</b>	<b>1</b>	<b>5</b>	<b>4</b>	<b>7</b>	<b>159</b>	<b>176</b>	<b>250</b>	<b>165</b>	<b>158</b>	<b>138</b>	<b>180</b>	<b>102</b>
	F		<b>866</b>	<b>1</b>	<b>1</b>	<b>3</b>	<b>2</b>	<b>5</b>	<b>61</b>	<b>46</b>	<b>64</b>	<b>85</b>	<b>65</b>	<b>84</b>	<b>202</b>	<b>247</b>
V01-X59, Y85, Y86 Accidents	M		684	-	<b>1</b>	<b>3</b>	<b>4</b>	<b>4</b>	<b>74</b>	<b>52</b>	<b>82</b>	<b>64</b>	<b>77</b>	<b>86</b>	<b>145</b>	<b>92</b>
	F		600	<b>1</b>	-	<b>3</b>	<b>2</b>	<b>2</b>	<b>25</b>	<b>12</b>	<b>21</b>	<b>35</b>	<b>35</b>	<b>60</b>	<b>169</b>	<b>235</b>
V01-99 Transport accidents	M		223	-	-	-	<b>3</b>	<b>3</b>	<b>62</b>	<b>30</b>	<b>46</b>	<b>25</b>	<b>20</b>	<b>14</b>	<b>16</b>	<b>4</b>
	F		78	-	-	<b>1</b>	<b>1</b>	<b>2</b>	<b>21</b>	<b>6</b>	<b>9</b>	<b>9</b>	<b>7</b>	<b>5</b>	<b>14</b>	<b>3</b>
W00-19 Falls	M		272	-	<b>1</b>	-	-	-	-	<b>7</b>	<b>10</b>	<b>19</b>	<b>30</b>	<b>34</b>	<b>100</b>	<b>71</b>
	F		404	<b>1</b>	-	-	-	-	-	<b>1</b>	<b>1</b>	<b>9</b>	<b>17</b>	<b>27</b>	<b>136</b>	<b>212</b>
X40-49 Poisonings	M		41	-	-	<b>1</b>	-	-	<b>4</b>	<b>9</b>	<b>12</b>	<b>1</b>	<b>4</b>	<b>4</b>	<b>6</b>	-
	F		7	-	-	-	-	-	<b>2</b>	<b>1</b>	<b>3</b>	-	<b>1</b>	-	-	-
X60-84, Y87.0 Intentional self-harm	M		393	-	-	-	-	<b>1</b>	<b>50</b>	<b>75</b>	<b>116</b>	<b>60</b>	<b>49</b>	<b>27</b>	<b>13</b>	<b>2</b>
	F		154	-	-	-	-	<b>2</b>	<b>27</b>	<b>25</b>	<b>32</b>	<b>29</b>	<b>20</b>	<b>10</b>	<b>6</b>	<b>3</b>
X85-Y09, Y87.1 Assault	M		68	<b>1</b>	-	<b>1</b>	-	<b>1</b>	<b>15</b>	<b>11</b>	<b>15</b>	<b>17</b>	<b>5</b>	<b>1</b>	<b>1</b>	-
	F		12	-	<b>1</b>	-	-	<b>1</b>	<b>3</b>	<b>4</b>	<b>2</b>	-	-	-	-	<b>1</b>
Y10-Y34, Y87.2 Event of undetermined intent	M		156	-	-	<b>1</b>	-	<b>1</b>	<b>20</b>	<b>37</b>	<b>36</b>	<b>21</b>	<b>20</b>	<b>13</b>	<b>6</b>	<b>1</b>
	F		60	-	-	-	-	-	<b>5</b>	<b>5</b>	<b>8</b>	<b>21</b>	<b>7</b>	<b>6</b>	<b>6</b>	<b>2</b>

ICD10 Summary list	Cause of death		Death rates per 100,000 population												
			All ages	0	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>I00-99</b>	<b>IX. Diseases of the circulatory system</b>	<b>M</b>	<b>384</b>	<b>4</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>3</b>	<b>9</b>	<b>48</b>	<b>133</b>	<b>386</b>	<b>1,099</b>	<b>3,095</b>	<b>7,308</b>
		<b>F</b>	<b>403</b>	-	<b>1</b>	-	<b>1</b>	<b>2</b>	<b>5</b>	<b>17</b>	<b>49</b>	<b>148</b>	<b>592</b>	<b>2,183</b>	<b>7,075</b>
I20-25	Ischaemic heart diseases	M	229	-	-	-	-	0	2	29	92	277	725	1,761	3,510
		F	178	-	-	-	-	-	1	6	25	78	319	1,021	2,707
I30-33, I39-52	Other heart diseases	M	23	4	1	1	1	2	4	7	6	21	49	160	640
		F	33	-	1	-	1	0	1	2	3	8	28	145	785
I60-69	Cerebrovascular diseases	M	87	-	-	-	1	0	2	7	20	45	188	816	2,349
		F	139	-	-	-	-	0	1	7	15	39	148	718	2,796
<b>J00-99</b>	<b>X. Diseases of the respiratory system</b>	<b>M</b>	<b>130</b>	<b>4</b>	<b>3</b>	-	-	<b>3</b>	<b>3</b>	<b>7</b>	<b>22</b>	<b>86</b>	<b>320</b>	<b>1,149</b>	<b>3,391</b>
		<b>F</b>	<b>148</b>	<b>8</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>1</b>	<b>4</b>	<b>15</b>	<b>59</b>	<b>253</b>	<b>792</b>	<b>2,486</b>
J10-11	Influenza	M	0	-	1	-	-	-	-	0	-	0	0	2	-
		F	0	4	-	-	-	-	-	-	-	-	-	1	5
J12-18	Pneumonia	M	42	4	-	-	-	1	1	4	7	20	69	327	1,619
		F	55	4	-	1	-	0	1	2	5	13	45	233	1,324
J40-47	Chronic lower respiratory diseases	M	57	-	1	-	-	1	0	2	8	45	182	564	908
		F	61	-	-	1	1	1	0	1	6	35	169	399	547
J45-46	Asthma	M	1	-	-	-	-	1	0	1	1	0	3	12	4
		F	3	-	-	1	1	1	0	1	1	1	5	8	43
<b>K00-93</b>	<b>XI. Diseases of the digestive system</b>	<b>M</b>	<b>63</b>	<b>4</b>	-	-	-	<b>0</b>	<b>7</b>	<b>30</b>	<b>77</b>	<b>114</b>	<b>160</b>	<b>295</b>	<b>592</b>
		<b>F</b>	<b>63</b>	-	-	-	<b>1</b>	<b>0</b>	<b>6</b>	<b>18</b>	<b>45</b>	<b>64</b>	<b>104</b>	<b>262</b>	<b>752</b>
K25-28	Ulcer of the stomach, duodenum and jejunum	M	4	-	-	-	-	-	-	1	2	6	14	29	55
		F	5	-	-	-	-	-	-	1	2	2	8	25	70
K70, K73-74	Chronic liver disease	M	30	-	-	-	-	0	6	22	61	75	69	45	12
		F	16	-	-	-	-	-	4	13	32	38	30	16	18
<b>L00-99</b>	<b>XII. Diseases of the skin and subcutaneous tissue</b>	<b>M</b>	<b>2</b>	-	-	-	-	-	-	<b>0</b>	-	<b>3</b>	<b>6</b>	<b>12</b>	<b>28</b>
		<b>F</b>	<b>3</b>	-	-	-	-	-	-	<b>0</b>	-	<b>1</b>	<b>6</b>	<b>15</b>	<b>60</b>
<b>M00-99</b>	<b>XIII. Diseases of the musculoskeletal system and connective tissue</b>	<b>M</b>	<b>4</b>	-	-	-	-	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>5</b>	<b>12</b>	<b>21</b>	<b>91</b>
		<b>F</b>	<b>9</b>	-	-	-	-	-	<b>1</b>	<b>1</b>	<b>2</b>	<b>7</b>	<b>13</b>	<b>41</b>	<b>130</b>
M05-06, M15-19	Rheumatoid arthritis and osteoarthritis	M	1	-	-	-	-	-	-	0	1	2	4	4	32
		F	4	-	-	-	-	-	0	-	0	3	6	25	52
<b>N00-99</b>	<b>XIV. Diseases of the genitourinary system</b>	<b>M</b>	<b>18</b>	-	-	-	-	<b>0</b>	<b>1</b>	-	<b>1</b>	<b>7</b>	<b>34</b>	<b>144</b>	<b>691</b>
		<b>F</b>	<b>24</b>	-	-	-	-	-	-	<b>1</b>	<b>1</b>	<b>8</b>	<b>27</b>	<b>122</b>	<b>484</b>
N00-29	Diseases of the kidney and ureter	M	11	-	-	-	-	0	0	-	1	6	24	83	430
		F	13	-	-	-	-	-	-	1	0	4	15	72	251
<b>O00-99</b>	<b>XV. Pregnancy, childbirth and the puerperium</b>	<b>F</b>	<b>0</b>	-	-	-	-	<b>0</b>	<b>1</b>	<b>0</b>	-	-	-	-	
<b>P00-96</b>	<b>XVI. Certain conditions originating in the perinatal period</b>	<b>M</b>	<b>4</b>	<b>345</b>	<b>1</b>	<b>1</b>	-	-	-	-	-	-	-	-	-
		<b>F</b>	<b>2</b>	<b>246</b>	-	-	-	-	-	-	-	-	-	-	-
<b>Q00-99</b>	<b>XVII. Congenital malformations, deformations and chromosomal abnormalities</b>	<b>M</b>	<b>4</b>	<b>139</b>	<b>7</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>3</b>	<b>3</b>	<b>2</b>	<b>0</b>	-	-
		<b>F</b>	<b>3</b>	<b>121</b>	<b>6</b>	-	<b>1</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>2</b>
Q00-07	Congenital malformations of the nervous system	M	0	7	1	-	-	-	0	1	0	0	-	-	-
		F	0	11	-	-	-	0	-	-	-	-	-	1	-
Q20-28	Congenital malformations of the circulatory system	M	1	50	3	1	1	1	0	0	0	1	0	-	-
		F	1	53	2	-	-	1	1	1	0	-	0	-	2
<b>R00-99</b>	<b>XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified</b>	<b>M</b>	<b>3</b>	<b>28</b>	-	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>3</b>	<b>2</b>	<b>2</b>	<b>9</b>	<b>118</b>
		<b>F</b>	<b>9</b>	<b>45</b>	<b>1</b>	<b>1</b>	-	<b>0</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>7</b>	<b>303</b>
R95	Sudden infant death syndrome	M	0	28	-	-	-	-	-	-	-	-	-	-	-
		F	0	45	-	-	-	-	-	-	-	-	-	-	-
R96-99	Other ill-defined and unknown causes	M	2	-	-	1	1	0	0	2	3	2	2	3	8
		F	2	-	1	1	-	0	1	1	0	1	2	3	32
<b>V01-Y98</b>	<b>XX. External causes of morbidity and mortality</b>	<b>M</b>	<b>55</b>	<b>7</b>	<b>5</b>	<b>3</b>	<b>4</b>	<b>47</b>	<b>57</b>	<b>65</b>	<b>48</b>	<b>53</b>	<b>66</b>	<b>161</b>	<b>403</b>
		<b>F</b>	<b>33</b>	<b>8</b>	<b>3</b>	<b>1</b>	<b>3</b>	<b>19</b>	<b>14</b>	<b>16</b>	<b>24</b>	<b>21</b>	<b>34</b>	<b>116</b>	<b>378</b>
V01-X59, Y85, Y86	Accidents	M	28	4	3	3	2	22	17	21	19	26	41	130	363
		F	23	4	3	1	1	8	4	5	10	11	24	97	360
V01-99	Transport accidents	M	9	-	-	2	2	19	10	12	7	7	7	14	16
		F	3	-	1	1	1	6	2	2	3	2	2	8	5
W00-19	Falls	M	11	4	-	-	-	-	2	3	6	10	16	89	280
		F	15	4	-	-	-	-	0	0	3	5	11	78	325
X40-49	Poisonings	M	2	-	1	-	-	1	3	3	0	1	2	5	-
		F	0	-	-	-	-	1	0	1	-	0	-	-	-
X60-84, Y87.0	Intentional self-harm	M	16	-	-	-	1	15	24	30	17	16	13	12	8
		F	6	-	-	-	1	8	8	8	8	6	4	3	5
X85-Y09, Y87.1	Assault	M	3	4	1	-	1	4	4	4	5	2	0	1	-
		F	0	4	-	-	1	1	1	0	-	-	-	-	2
Y10-Y34, Y87.2	Event of undetermined intent	M	6	-	1	-	1	6	12	9	6	7	6	5	4
		F	2	-	-	-	-	2	2	2	6	2	2	3	3