

Table 6.7: Death rates from malignant neoplasms, by sex, age and selected sites, Scotland, 1950 to 2012

| Site (ICD Codes) | Year | All ages | Age group | | | | | | | | |
|---|---------------------|----------|-----------|-------|-------|-------|-------|-------|-------|-------|----|
| | | | <25 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | |
| Males - rates per 100,000 population | | | | | | | | | | | |
| All sites (C00-97) | 1950-52 | 206 | 9 | 23 | 66 | 234 | 555 | 1,066 | 1,690 | 1,633 | |
| | 1960-62 | 241 | 9 | 20 | 61 | 232 | 664 | 1,243 | 1,854 | 2,194 | |
| | 1970-72 | 272 | 8 | 19 | 56 | 217 | 663 | 1,423 | 2,150 | 2,461 | |
| | 1980-82 | 291 | 7 | 14 | 46 | 189 | 615 | 1,423 | 2,385 | 2,783 | |
| | 1990-92 | 314 | 5 | 10 | 42 | 171 | 576 | 1,416 | 2,445 | 3,361 | |
| | 2000-02 r | 315 | 4 | 10 | 31 | 138 | 509 | 1,234 | 2,306 | 3,513 | |
| | 2010-12 r | 309 | 3 | 10 | 27 | 101 | 385 | 1,013 | 2,105 | 3,463 | |
| | 2000 | 308 | 4 | 11 | 32 | 127 | 502 | 1,242 | 2,280 | 3,485 | |
| | 2001 | 319 | 4 | 7 | 29 | 148 | 524 | 1,227 | 2,352 | 3,523 | |
| | 2002 r | 319 | 5 | 11 | 33 | 138 | 500 | 1,233 | 2,284 | 3,531 | |
| | 2003 r | 313 | 4 | 12 | 25 | 121 | 475 | 1,164 | 2,319 | 3,621 | |
| | 2004 r | 313 | 4 | 10 | 28 | 129 | 442 | 1,192 | 2,233 | 3,606 | |
| | 2005 r | 311 | 3 | 11 | 33 | 128 | 429 | 1,135 | 2,266 | 3,415 | |
| | 2006 r | 312 | 5 | 12 | 28 | 120 | 427 | 1,105 | 2,247 | 3,584 | |
| | 2007 r | 312 | 4 | 9 | 26 | 114 | 426 | 1,096 | 2,245 | 3,462 | |
| | 2008 r | 307 | 4 | 6 | 29 | 118 | 419 | 1,101 | 2,056 | 3,498 | |
| | 2009 r | 305 | 2 | 8 | 28 | 112 | 404 | 1,065 | 2,100 | 3,307 | |
| | 2010 r | 306 | 3 | 10 | 22 | 110 | 401 | 1,004 | 2,156 | 3,318 | |
| | 2011 r | 311 | 3 | 11 | 29 | 95 | 378 | 1,045 | 2,125 | 3,514 | |
| | 2012 | 310 | 3 | 8 | 29 | 98 | 377 | 991 | 2,034 | 3,556 | |
| | Oesophagus (C15) | 1950-52 | 8 | - | - | 2 | 5 | 19 | 47 | 71 | 76 |
| | | 1960-62 | 7 | - | - | 1 | 4 | 15 | 38 | 75 | 87 |
| | | 1970-72 | 8 | - | - | 1 | 8 | 18 | 44 | 63 | 89 |
| 1980-82 | | 12 | - | 1 | 2 | 8 | 28 | 53 | 92 | 91 | |
| 1990-92 | | 15 | - | - | 3 | 11 | 36 | 70 | 94 | 119 | |
| 2000-02 r | | 19 | 0 | 0 | 2 | 12 | 39 | 71 | 123 | 129 | |
| 2010-12 r | | 21 | 0 | 0 | 2 | 10 | 38 | 73 | 120 | 145 | |
| 2000 | | 18 | 0 | 0 | 3 | 9 | 38 | 72 | 114 | 119 | |
| 2001 | | 19 | 0 | 0 | 2 | 16 | 40 | 71 | 122 | 148 | |
| 2002 r | | 19 | 0 | 0 | 2 | 12 | 38 | 69 | 134 | 120 | |
| 2003 r | | 21 | 0 | 0 | 2 | 10 | 42 | 77 | 133 | 176 | |
| 2004 r | | 21 | 0 | 0 | 3 | 11 | 38 | 77 | 144 | 157 | |
| 2005 r | | 20 | 0 | 0 | 2 | 11 | 38 | 72 | 133 | 155 | |
| 2006 r | | 20 | 0 | 0 | 3 | 10 | 39 | 72 | 116 | 154 | |
| 2007 r | | 19 | 0 | 0 | 1 | 11 | 35 | 71 | 122 | 147 | |
| 2008 r | | 21 | 0 | 0 | 3 | 12 | 37 | 80 | 119 | 128 | |
| 2009 r | | 20 | 0 | 0 | 1 | 12 | 40 | 67 | 114 | 151 | |
| 2010 r | | 21 | 0 | 1 | 1 | 10 | 42 | 72 | 117 | 147 | |
| 2011 r | | 21 | 0 | 0 | 3 | 9 | 33 | 81 | 120 | 156 | |
| 2012 | | 21 | 0 | 0 | 3 | 10 | 38 | 66 | 122 | 133 | |

Note

r - Rates for these years have been revised from those that were published in August 2013 (or earlier) as they are now calculated using the rebased population estimates which were published on 17th December 2013.

| Site (ICD Codes) | Year | All ages | Age group | | | | | | | |
|---|---|----------|-----------|-------|-------|-------|-------|-------|-------|-----|
| | | | <25 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ |
| Males - rates per 100,000 population | | | | | | | | | | |
| Stomach (C16) | 1950-52 | 39 | - | 2 | 11 | 41 | 103 | 222 | 333 | 272 |
| | 1960-62 | 34 | - | 1 | 10 | 34 | 84 | 185 | 287 | 327 |
| | 1970-72 | 29 | - | 1 | 5 | 22 | 74 | 148 | 242 | 295 |
| | 1980-82 | 24 | - | - | 3 | 19 | 49 | 125 | 191 | 227 |
| | 1990-92 | 20 | - | - | 2 | 8 | 36 | 94 | 158 | 225 |
| | 2000-02 r | 15 | 0 | 1 | 2 | 6 | 24 | 59 | 116 | 181 |
| | 2010-12 r | 12 | 0 | 0 | 1 | 5 | 10 | 40 | 93 | 130 |
| | 2000 | 15 | 0 | 0 | 2 | 6 | 21 | 61 | 118 | 177 |
| | 2001 | 15 | 0 | 0 | 2 | 5 | 26 | 54 | 118 | 178 |
| | 2002 r | 16 | 0 | 1 | 2 | 7 | 25 | 61 | 111 | 187 |
| | 2003 r | 15 | 0 | 0 | 1 | 7 | 22 | 61 | 109 | 162 |
| | 2004 r | 15 | 0 | 1 | 1 | 5 | 15 | 58 | 111 | 193 |
| | 2005 r | 14 | 0 | 0 | 2 | 4 | 15 | 52 | 115 | 159 |
| | 2006 r | 14 | 0 | 0 | 2 | 5 | 13 | 53 | 110 | 132 |
| | 2007 r | 12 | 0 | 0 | 0 | 5 | 11 | 51 | 90 | 143 |
| | 2008 r | 12 | 0 | 0 | 1 | 4 | 16 | 37 | 90 | 152 |
| | 2009 r | 13 | 0 | 0 | 2 | 4 | 15 | 45 | 100 | 108 |
| | 2010 r | 13 | 0 | 0 | 1 | 5 | 11 | 48 | 103 | 129 |
| | 2011 r | 11 | 0 | 0 | 1 | 3 | 11 | 34 | 92 | 105 |
| | 2012 | 12 | 0 | 0 | 1 | 6 | 9 | 36 | 86 | 156 |
| | Intestine (ex. rectum) (C17, C18) | 1950-52 | 25 | - | 2 | 5 | 17 | 48 | 149 | 310 |
| 1960-62 | | 21 | - | 1 | 3 | 13 | 44 | 105 | 244 | 381 |
| 1970-72 | | 20 | - | 1 | 5 | 14 | 41 | 99 | 208 | 349 |
| 1980-82 | | 20 | - | 1 | 3 | 10 | 37 | 91 | 204 | 290 |
| 1990-92 | | 22 | - | 1 | 4 | 12 | 35 | 93 | 190 | 313 |
| 2000-02 r | | 21 | 0 | 0 | 2 | 9 | 31 | 81 | 169 | 282 |
| 2010-12 r | | 18 | 0 | 1 | 1 | 5 | 20 | 58 | 135 | 234 |
| 2000 | | 22 | 0 | 1 | 2 | 9 | 27 | 86 | 184 | 261 |
| 2001 | | 21 | 0 | 0 | 2 | 6 | 33 | 82 | 168 | 295 |
| 2002 r | | 21 | 0 | 0 | 3 | 12 | 31 | 74 | 156 | 290 |
| 2003 r | | 21 | 0 | 1 | 1 | 4 | 26 | 75 | 182 | 234 |
| 2004 r | | 20 | 0 | 0 | 2 | 7 | 25 | 80 | 152 | 265 |
| 2005 r | | 20 | 0 | 0 | 1 | 7 | 28 | 70 | 161 | 273 |
| 2006 r | | 19 | 0 | 0 | 1 | 9 | 23 | 59 | 154 | 252 |
| 2007 r | | 18 | 0 | 0 | 1 | 7 | 19 | 58 | 153 | 243 |
| 2008 r | | 21 | 0 | 0 | 3 | 6 | 27 | 76 | 133 | 290 |
| 2009 r | | 17 | 0 | 0 | 1 | 5 | 23 | 57 | 128 | 190 |
| 2010 r | | 17 | 0 | 1 | 1 | 5 | 20 | 52 | 124 | 251 |
| 2011 r | | 19 | 0 | 1 | 1 | 5 | 18 | 63 | 143 | 221 |
| 2012 | | 19 | 0 | 1 | 1 | 4 | 20 | 59 | 137 | 231 |

Note

r - Rates for these years have been revised from those that were published in August 2013 (or earlier) as they are now calculated using the rebased population estimates which were published on 17th December 2013.

| Site (ICD Codes) | Year | All ages | Age group | | | | | | | |
|---|--|----------|-----------|-------|-------|-------|-------|-------|-------|-----|
| | | | <25 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ |
| Males - rates per 100,000 population | | | | | | | | | | |
| Rectum (C19-21) | 1950-52 | 14 | - | 1 | 3 | 10 | 34 | 86 | 147 | 136 |
| | 1960-62 | 12 | - | 1 | 3 | 8 | 25 | 67 | 142 | 207 |
| | 1970-72 | 12 | - | 1 | 2 | 9 | 22 | 61 | 116 | 168 |
| | 1980-82 | 11 | - | - | 1 | 9 | 22 | 53 | 106 | 127 |
| | 1990-92 | 13 | - | - | 2 | 7 | 26 | 55 | 96 | 175 |
| | 2000-02 r | 14 | 0 | 0 | 1 | 7 | 25 | 57 | 91 | 150 |
| | 2010-12 r | 15 | 0 | 1 | 1 | 5 | 20 | 46 | 100 | 169 |
| | 2000 | 14 | 0 | 0 | 0 | 5 | 25 | 58 | 88 | 181 |
| | 2001 | 14 | 0 | 0 | 2 | 8 | 29 | 49 | 94 | 126 |
| | 2002 r | 14 | 0 | 1 | 2 | 8 | 20 | 63 | 90 | 143 |
| | 2003 r | 14 | 0 | 0 | 1 | 8 | 24 | 52 | 100 | 162 |
| | 2004 r | 15 | 0 | 1 | 1 | 9 | 18 | 56 | 113 | 175 |
| | 2005 r | 15 | 0 | 1 | 2 | 4 | 24 | 65 | 97 | 143 |
| | 2006 r | 15 | 0 | 1 | 1 | 6 | 22 | 57 | 108 | 147 |
| | 2007 r | 15 | 0 | 1 | 1 | 6 | 26 | 56 | 97 | 143 |
| | 2008 r | 13 | 0 | 0 | 2 | 8 | 20 | 48 | 86 | 121 |
| | 2009 r | 17 | 0 | 1 | 1 | 8 | 22 | 57 | 113 | 177 |
| | 2010 r | 15 | 0 | 1 | 1 | 4 | 20 | 52 | 107 | 144 |
| | 2011 r | 15 | 0 | 1 | 2 | 6 | 21 | 43 | 92 | 180 |
| | 2012 | 15 | 0 | 1 | 1 | 5 | 18 | 42 | 102 | 182 |
| | Trachea, bronchus and lung (C33, C34) | 1950-52 | 48 | - | 3 | 20 | 99 | 194 | 191 | 132 |
| 1960-62 | | 86 | - | 3 | 20 | 105 | 326 | 454 | 326 | 156 |
| 1970-72 | | 112 | - | 2 | 17 | 98 | 318 | 649 | 680 | 349 |
| 1980-82 | | 119 | - | 1 | 11 | 75 | 288 | 627 | 879 | 671 |
| 1990-92 | | 111 | - | 1 | 7 | 54 | 227 | 563 | 822 | 782 |
| 2000-02 r | | 93 | 0 | 0 | 4 | 35 | 162 | 418 | 680 | 701 |
| 2010-12 r | | 83 | 0 | 1 | 4 | 24 | 110 | 316 | 564 | 698 |
| 2000 | | 91 | 0 | 1 | 4 | 34 | 160 | 404 | 695 | 755 |
| 2001 | | 94 | 0 | 0 | 4 | 35 | 165 | 423 | 680 | 651 |
| 2002 r | | 95 | 0 | 0 | 3 | 37 | 161 | 428 | 665 | 696 |
| 2003 r | | 90 | 0 | 1 | 3 | 31 | 146 | 374 | 678 | 663 |
| 2004 r | | 88 | 0 | 1 | 4 | 35 | 139 | 377 | 614 | 638 |
| 2005 r | | 89 | 0 | 0 | 5 | 35 | 138 | 358 | 649 | 677 |
| 2006 r | | 87 | 0 | 1 | 4 | 28 | 129 | 353 | 634 | 730 |
| 2007 r | | 90 | 0 | 0 | 5 | 30 | 138 | 337 | 663 | 720 |
| 2008 r | | 84 | 0 | 0 | 3 | 27 | 127 | 337 | 575 | 680 |
| 2009 r | | 87 | 0 | 0 | 6 | 27 | 128 | 336 | 586 | 713 |
| 2010 r | | 83 | 0 | 0 | 4 | 29 | 111 | 311 | 565 | 731 |
| 2011 r | | 86 | 0 | 1 | 3 | 22 | 108 | 341 | 582 | 697 |
| 2012 | | 81 | 0 | 1 | 6 | 20 | 110 | 295 | 544 | 666 |

Note

r - Rates for these years have been revised from those that were published in August 2013 (or earlier) as they are now calculated using the rebased population estimates which were published on 17th December 2013.

| Site (ICD Codes) | Year | All ages | Age group | | | | | | | | |
|---|-----------------------|----------|-----------|-------|-------|-------|-------|-------|-------|-----|---|
| | | | <25 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | | |
| Males - rates per 100,000 population | | | | | | | | | | | |
| Prostate (C61) | 1950-52 | 13 | - | - | - | 2 | 16 | 87 | 211 | 222 | |
| | 1960-62 | 16 | - | - | - | 1 | 15 | 90 | 283 | 407 | |
| | 1970-72 | 14 | - | - | - | 1 | 16 | 73 | 234 | 431 | |
| | 1980-82 | 19 | - | - | - | 2 | 17 | 91 | 251 | 453 | |
| | 1990-92 | 27 | - | - | - | 2 | 20 | 107 | 332 | 613 | |
| | 2000-02 r | 32 | 0 | 0 | 0 | 3 | 22 | 104 | 310 | 786 | |
| | 2010-12 r | 34 | 0 | 0 | 0 | 1 | 20 | 80 | 292 | 765 | |
| | 2000 | 32 | 0 | 0 | 0 | 2 | 21 | 108 | 321 | 777 | |
| | 2001 | 32 | 0 | 0 | 0 | 3 | 23 | 99 | 317 | 777 | |
| | 2002 r | 32 | 0 | 0 | 0 | 3 | 23 | 104 | 291 | 803 | |
| | 2003 r | 32 | 0 | 0 | 0 | 2 | 23 | 99 | 303 | 825 | |
| | 2004 r | 33 | 0 | 0 | 0 | 2 | 20 | 109 | 302 | 778 | |
| | 2005 r | 31 | 0 | 0 | 0 | 2 | 15 | 92 | 296 | 763 | |
| | 2006 r | 31 | 0 | 0 | 0 | 3 | 23 | 83 | 294 | 718 | |
| | 2007 r | 32 | 0 | 0 | 0 | 1 | 18 | 97 | 275 | 745 | |
| | 2008 r | 31 | 0 | 0 | 0 | 2 | 20 | 88 | 268 | 746 | |
| | 2009 r | 31 | 0 | 0 | 0 | 2 | 17 | 89 | 282 | 631 | |
| | 2010 r | 33 | 0 | 0 | 0 | 2 | 21 | 80 | 306 | 684 | |
| | 2011 r | 35 | 0 | 0 | 0 | 1 | 18 | 82 | 301 | 799 | |
| | 2012 | 34 | 0 | 0 | 0 | 1 | 19 | 77 | 270 | 813 | |
| | Leukaemia (C91-95) | 1950-52 | 4 | 3 | 2 | 3 | 4 | 7 | 17 | 13 | 5 |
| 1960-62 | | 6 | 3 | 2 | 3 | 5 | 9 | 25 | 30 | 44 | |
| 1970-72 | | 7 | 2 | 2 | 3 | 5 | 11 | 28 | 49 | 57 | |
| 1980-82 | | 6 | 2 | 1 | 2 | 5 | 9 | 23 | 52 | 63 | |
| 1990-92 | | 6 | 1 | 1 | 2 | 4 | 9 | 22 | 45 | 50 | |
| 2000-02 r | | 8 | 1 | 1 | 2 | 2 | 10 | 27 | 54 | 94 | |
| 2010-12 r | | 9 | 1 | 1 | 1 | 2 | 10 | 28 | 62 | 95 | |
| 2000 | | 7 | 1 | 1 | 1 | 1 | 10 | 24 | 53 | 75 | |
| 2001 | | 8 | 1 | 0 | 1 | 3 | 12 | 30 | 53 | 82 | |
| 2002 r | | 8 | 2 | 2 | 4 | 2 | 8 | 29 | 54 | 125 | |
| 2003 r | | 8 | 1 | 2 | 2 | 3 | 6 | 25 | 67 | 81 | |
| 2004 r | | 7 | 1 | 2 | 1 | 3 | 9 | 23 | 45 | 103 | |
| 2005 r | | 8 | 1 | 2 | 1 | 3 | 7 | 29 | 52 | 102 | |
| 2006 r | | 8 | 1 | 1 | 1 | 2 | 8 | 27 | 62 | 113 | |
| 2007 r | | 8 | 1 | 1 | 1 | 4 | 8 | 30 | 59 | 93 | |
| 2008 r | | 8 | 1 | 0 | 1 | 2 | 8 | 30 | 61 | 93 | |
| 2009 r | | 9 | 1 | 1 | 2 | 3 | 9 | 30 | 68 | 105 | |
| 2010 r | | 9 | 0 | 0 | 1 | 1 | 12 | 26 | 75 | 94 | |
| 2011 r | | 9 | 1 | 1 | 1 | 3 | 9 | 30 | 62 | 111 | |
| 2012 | | 8 | 1 | 0 | 1 | 2 | 8 | 28 | 48 | 81 | |

Note

r - Rates for these years have been revised from those that were published in August 2013 (or earlier) as they are now calculated using the rebased population estimates which were published on 17th December 2013.

Table 6.7: (continued)

| Site (ICD Codes) | Year | All ages | Age group | | | | | | | |
|---|-----------|----------|-----------|-------|-------|-------|-------|-------|-------|-------|
| | | | <25 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ |
| Females - rates per 100,000 population | | | | | | | | | | |
| All sites | 1950-52 | 185 | 6 | 21 | 83 | 198 | 394 | 758 | 1,228 | 1,449 |
| (C00-97) | 1960-62 | 195 | 6 | 20 | 80 | 212 | 385 | 674 | 1,130 | 1,560 |
| | 1970-72 | 218 | 5 | 19 | 68 | 219 | 407 | 688 | 1,139 | 1,660 |
| | 1980-82 | 247 | 5 | 17 | 66 | 205 | 441 | 756 | 1,148 | 1,672 |
| | 1990-92 | 278 | 4 | 16 | 58 | 183 | 446 | 854 | 1,276 | 1,763 |
| | 2000-02 r | 281 | 3 | 11 | 42 | 144 | 373 | 802 | 1,409 | 1,907 |
| | 2010-12 r | 279 | 2 | 10 | 40 | 119 | 327 | 734 | 1,376 | 1,995 |
| | 2000 | 284 | 2 | 11 | 45 | 144 | 362 | 835 | 1,456 | 1,912 |
| | 2001 | 282 | 3 | 10 | 43 | 144 | 389 | 791 | 1,421 | 1,886 |
| | 2002 r | 277 | 4 | 12 | 38 | 145 | 369 | 782 | 1,351 | 1,923 |
| | 2003 r | 284 | 3 | 12 | 40 | 132 | 375 | 800 | 1,418 | 1,969 |
| | 2004 r | 280 | 4 | 13 | 39 | 124 | 354 | 790 | 1,391 | 1,993 |
| | 2005 r | 282 | 3 | 11 | 46 | 131 | 363 | 766 | 1,404 | 1,969 |
| | 2006 r | 277 | 3 | 9 | 39 | 132 | 330 | 776 | 1,405 | 1,859 |
| | 2007 r | 280 | 3 | 12 | 38 | 134 | 340 | 781 | 1,355 | 2,001 |
| | 2008 r | 281 | 3 | 8 | 39 | 116 | 327 | 765 | 1,415 | 2,051 |
| | 2009 r | 276 | 3 | 12 | 39 | 122 | 329 | 743 | 1,352 | 2,009 |
| | 2010 r | 277 | 3 | 7 | 43 | 115 | 325 | 750 | 1,380 | 1,955 |
| | 2011 r | 273 | 3 | 11 | 37 | 124 | 323 | 728 | 1,323 | 1,934 |
| | 2012 | 288 | 2 | 11 | 39 | 120 | 334 | 725 | 1,426 | 2,095 |
| Oesophagus | 1950-52 | 5 | - | - | 1 | 4 | 10 | 23 | 54 | 34 |
| (C15) | 1960-62 | 5 | - | - | 1 | 4 | 9 | 22 | 35 | 71 |
| | 1970-72 | 7 | - | - | 1 | 4 | 10 | 22 | 47 | 80 |
| | 1980-82 | 9 | - | - | 1 | 4 | 13 | 28 | 53 | 73 |
| | 1990-92 | 11 | - | - | 1 | 4 | 15 | 31 | 62 | 104 |
| | 2000-02 r | 11 | 0 | 0 | 0 | 3 | 10 | 29 | 65 | 97 |
| | 2010-12 r | 10 | 0 | 0 | 0 | 2 | 10 | 26 | 59 | 86 |
| | 2000 | 11 | 0 | 0 | 0 | 3 | 12 | 29 | 64 | 86 |
| | 2001 | 11 | 0 | 0 | 1 | 3 | 7 | 30 | 67 | 91 |
| | 2002 r | 11 | 0 | 0 | 0 | 4 | 11 | 29 | 63 | 113 |
| | 2003 r | 10 | 0 | 0 | 0 | 2 | 11 | 24 | 63 | 108 |
| | 2004 r | 11 | 0 | 0 | 0 | 3 | 12 | 31 | 57 | 109 |
| | 2005 r | 11 | 0 | 0 | 1 | 3 | 10 | 33 | 69 | 83 |
| | 2006 r | 10 | 0 | 0 | 0 | 2 | 12 | 25 | 71 | 65 |
| | 2007 r | 11 | 0 | 0 | 0 | 2 | 10 | 33 | 69 | 84 |
| | 2008 r | 12 | 0 | 0 | 0 | 4 | 10 | 27 | 67 | 105 |
| | 2009 r | 9 | 0 | 1 | 0 | 2 | 10 | 25 | 46 | 71 |
| | 2010 r | 10 | 0 | 0 | 0 | 3 | 10 | 23 | 65 | 81 |
| | 2011 r | 10 | 0 | 0 | 0 | 2 | 9 | 30 | 60 | 80 |
| | 2012 | 10 | 0 | 0 | 0 | 1 | 12 | 25 | 52 | 98 |

Note

r - Rates for these years have been revised from those that were published in August 2013 (or earlier) as they are now calculated using the rebased population estimates which were published on 17th December 2013.

| Site (ICD Codes) | Year | All ages | Age group | | | | | | | |
|---|---|----------|-----------|-------|-------|-------|-------|-------|-------|-----|
| | | | <25 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ |
| Females - rates per 100,000 population | | | | | | | | | | |
| Stomach (C16) | 1950-52 | 32 | - | 2 | 8 | 20 | 60 | 159 | 279 | 316 |
| | 1960-62 | 27 | - | 1 | 5 | 15 | 42 | 110 | 219 | 364 |
| | 1970-72 | 23 | - | 1 | 3 | 10 | 31 | 79 | 166 | 259 |
| | 1980-82 | 18 | - | 1 | 2 | 6 | 18 | 56 | 114 | 180 |
| | 1990-92 | 14 | - | - | 1 | 4 | 18 | 40 | 79 | 118 |
| | 2000-02 r | 11 | 0 | 1 | 2 | 3 | 8 | 27 | 66 | 85 |
| | 2010-12 r | 7 | 0 | 0 | 1 | 2 | 5 | 15 | 42 | 58 |
| | 2000 | 11 | 0 | 1 | 1 | 3 | 8 | 29 | 70 | 89 |
| | 2001 | 12 | 0 | 0 | 1 | 2 | 10 | 33 | 75 | 97 |
| | 2002 r | 9 | 0 | 1 | 3 | 3 | 7 | 19 | 53 | 68 |
| | 2003 r | 8 | 0 | 0 | 0 | 1 | 4 | 22 | 51 | 80 |
| | 2004 r | 10 | 0 | 1 | 1 | 4 | 5 | 28 | 51 | 102 |
| | 2005 r | 9 | 0 | 0 | 1 | 4 | 7 | 23 | 62 | 67 |
| | 2006 r | 8 | 0 | 0 | 2 | 2 | 6 | 22 | 42 | 77 |
| | 2007 r | 8 | 0 | 0 | 1 | 3 | 8 | 16 | 41 | 67 |
| | 2008 r | 8 | 0 | 0 | 1 | 3 | 5 | 20 | 45 | 75 |
| | 2009 r | 8 | 0 | 0 | 1 | 4 | 6 | 18 | 49 | 59 |
| | 2010 r | 6 | 0 | 1 | 1 | 2 | 4 | 18 | 35 | 47 |
| | 2011 r | 7 | 0 | 0 | 1 | 2 | 5 | 12 | 48 | 61 |
| | 2012 | 7 | 0 | 0 | 1 | 2 | 4 | 14 | 42 | 64 |
| | Intestine (ex. rectum) (C17, C18) | 1950-52 | 29 | - | 1 | 7 | 22 | 49 | 127 | 287 |
| 1960-62 | | 26 | - | 2 | 6 | 16 | 47 | 94 | 207 | 342 |
| 1970-72 | | 29 | - | 1 | 3 | 14 | 47 | 90 | 199 | 360 |
| 1980-82 | | 26 | - | 1 | 4 | 11 | 34 | 71 | 161 | 285 |
| 1990-92 | | 24 | - | - | 2 | 10 | 30 | 68 | 134 | 224 |
| 2000-02 r | | 20 | 0 | 0 | 1 | 6 | 19 | 51 | 113 | 213 |
| 2010-12 r | | 17 | 0 | 0 | 1 | 6 | 15 | 36 | 90 | 173 |
| 2000 | | 21 | 0 | 0 | 1 | 6 | 17 | 53 | 119 | 226 |
| 2001 | | 22 | 0 | 1 | 2 | 6 | 21 | 52 | 117 | 233 |
| 2002 r | | 18 | 0 | 0 | 1 | 6 | 19 | 47 | 102 | 181 |
| 2003 r | | 19 | 0 | 0 | 2 | 6 | 21 | 44 | 103 | 191 |
| 2004 r | | 18 | 0 | 0 | 1 | 4 | 15 | 44 | 100 | 185 |
| 2005 r | | 19 | 0 | 0 | 1 | 10 | 18 | 43 | 100 | 181 |
| 2006 r | | 18 | 0 | 0 | 1 | 6 | 17 | 42 | 99 | 180 |
| 2007 r | | 18 | 0 | 1 | 2 | 9 | 17 | 41 | 84 | 188 |
| 2008 r | | 17 | 0 | 0 | 1 | 5 | 19 | 49 | 84 | 155 |
| 2009 r | | 16 | 0 | 0 | 1 | 7 | 16 | 36 | 82 | 178 |
| 2010 r | | 17 | 0 | 0 | 1 | 6 | 16 | 37 | 86 | 182 |
| 2011 r | | 17 | 0 | 1 | 1 | 6 | 18 | 31 | 90 | 174 |
| 2012 | | 17 | 0 | 1 | 1 | 7 | 12 | 39 | 93 | 164 |

Note

r - Rates for these years have been revised from those that were published in August 2013 (or earlier) as they are now calculated using the rebased population estimates which were published on 17th December 2013.

| Site (ICD Codes) | Year | All ages | Age group | | | | | | | |
|---|--|----------|-----------|-------|-------|-------|-------|-------|-------|-----|
| | | | <25 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ |
| Females - rates per 100,000 population | | | | | | | | | | |
| Rectum (C19-21) | 1950-52 | 9 | - | 1 | 2 | 8 | 19 | 43 | 58 | 58 |
| | 1960-62 | 9 | - | - | 2 | 8 | 18 | 33 | 64 | 86 |
| | 1970-72 | 10 | - | - | 1 | 6 | 15 | 34 | 61 | 113 |
| | 1980-82 | 10 | - | - | 1 | 5 | 14 | 29 | 55 | 107 |
| | 1990-92 | 10 | - | - | 2 | 5 | 15 | 29 | 53 | 91 |
| | 2000-02 r | 9 | 0 | 0 | 1 | 4 | 11 | 24 | 49 | 86 |
| | 2010-12 r | 11 | 0 | 0 | 2 | 6 | 13 | 25 | 55 | 95 |
| | 2000 | 9 | 0 | 0 | 1 | 4 | 10 | 24 | 46 | 82 |
| | 2001 | 9 | 0 | 1 | 0 | 3 | 13 | 23 | 49 | 88 |
| | 2002 r | 10 | 0 | 1 | 1 | 6 | 9 | 24 | 53 | 87 |
| | 2003 r | 11 | 0 | 0 | 0 | 8 | 14 | 27 | 55 | 99 |
| | 2004 r | 11 | 0 | 1 | 1 | 4 | 11 | 26 | 56 | 102 |
| | 2005 r | 9 | 0 | 0 | 0 | 5 | 10 | 19 | 48 | 81 |
| | 2006 r | 10 | 0 | 0 | 2 | 4 | 12 | 25 | 52 | 88 |
| | 2007 r | 11 | 0 | 0 | 0 | 3 | 11 | 29 | 56 | 97 |
| | 2008 r | 11 | 0 | 0 | 2 | 5 | 13 | 28 | 52 | 108 |
| | 2009 r | 12 | 0 | 0 | 1 | 7 | 12 | 32 | 54 | 92 |
| | 2010 r | 11 | 0 | 0 | 1 | 6 | 13 | 20 | 54 | 97 |
| | 2011 r | 10 | 0 | 1 | 1 | 5 | 12 | 28 | 46 | 84 |
| | 2012 | 13 | 0 | 0 | 2 | 6 | 15 | 26 | 66 | 105 |
| | Trachea, bronchus and lung (C33, C34) | 1950-52 | 10 | - | 1 | 6 | 12 | 29 | 40 | 50 |
| 1960-62 | | 13 | - | 1 | 6 | 17 | 32 | 50 | 60 | 42 |
| 1970-72 | | 24 | - | 1 | 8 | 33 | 61 | 77 | 94 | 76 |
| 1980-82 | | 41 | - | 1 | 6 | 37 | 103 | 155 | 138 | 107 |
| 1990-92 | | 57 | - | - | 6 | 32 | 106 | 239 | 233 | 183 |
| 2000-02 r | | 64 | 0 | 0 | 4 | 29 | 91 | 242 | 332 | 239 |
| 2010-12 r | | 74 | 0 | 0 | 3 | 23 | 98 | 241 | 378 | 365 |
| 2000 | | 65 | 0 | 1 | 6 | 33 | 88 | 247 | 343 | 238 |
| 2001 | | 62 | 0 | 0 | 3 | 28 | 90 | 232 | 324 | 230 |
| 2002 r | | 65 | 0 | 1 | 4 | 27 | 94 | 246 | 329 | 250 |
| 2003 r | | 65 | 0 | 1 | 4 | 22 | 93 | 225 | 349 | 269 |
| 2004 r | | 67 | 0 | 1 | 5 | 26 | 97 | 221 | 367 | 271 |
| 2005 r | | 68 | 0 | 0 | 5 | 23 | 100 | 225 | 373 | 290 |
| 2006 r | | 71 | 0 | 0 | 5 | 24 | 106 | 243 | 371 | 305 |
| 2007 r | | 70 | 0 | 0 | 3 | 27 | 93 | 245 | 365 | 319 |
| 2008 r | | 73 | 0 | 1 | 3 | 26 | 93 | 249 | 396 | 333 |
| 2009 r | | 72 | 0 | 0 | 6 | 24 | 94 | 246 | 377 | 343 |
| 2010 r | | 72 | 0 | 0 | 4 | 24 | 95 | 247 | 377 | 307 |
| 2011 r | | 72 | 0 | 0 | 2 | 22 | 96 | 242 | 366 | 376 |
| 2012 | | 77 | 0 | 0 | 4 | 21 | 104 | 235 | 390 | 413 |

Note

r - Rates for these years have been revised from those that were published in August 2013 (or earlier) as they are now calculated using the rebased population estimates which were published on 17th December 2013.

| Site (ICD Codes) | Year | All ages | Age group | | | | | | | |
|---|-----------|----------|-----------|-------|-------|-------|-------|-------|-------|-----|
| | | | <25 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ |
| Females - rates per 100,000 population | | | | | | | | | | |
| Breast (C50) | 1950-52 | 31 | - | 2 | 22 | 48 | 66 | 110 | 151 | 181 |
| | 1960-62 | 35 | - | 3 | 23 | 59 | 75 | 99 | 154 | 237 |
| | 1970-72 | 40 | - | 5 | 24 | 62 | 86 | 110 | 151 | 240 |
| | 1980-82 | 45 | - | 4 | 26 | 67 | 97 | 114 | 151 | 234 |
| | 1990-92 | 48 | - | 5 | 19 | 58 | 90 | 119 | 177 | 281 |
| | 2000-02 r | 43 | 0 | 2 | 15 | 43 | 72 | 99 | 161 | 279 |
| | 2010-12 r | 38 | 0 | 2 | 13 | 33 | 57 | 81 | 147 | 254 |
| | 2000 | 42 | 0 | 2 | 17 | 43 | 71 | 108 | 151 | 274 |
| | 2001 | 43 | 0 | 2 | 15 | 47 | 80 | 90 | 170 | 269 |
| | 2002 r | 42 | 0 | 3 | 12 | 41 | 66 | 99 | 161 | 293 |
| | 2003 r | 43 | 0 | 3 | 14 | 38 | 74 | 105 | 166 | 275 |
| | 2004 r | 41 | 0 | 3 | 14 | 32 | 67 | 104 | 143 | 304 |
| | 2005 r | 43 | 0 | 2 | 15 | 41 | 71 | 89 | 161 | 318 |
| | 2006 r | 42 | 0 | 2 | 13 | 35 | 59 | 103 | 177 | 251 |
| | 2007 r | 40 | 0 | 3 | 12 | 34 | 65 | 91 | 144 | 281 |
| | 2008 r | 39 | 0 | 1 | 15 | 30 | 54 | 86 | 154 | 294 |
| | 2009 r | 37 | 0 | 3 | 14 | 29 | 56 | 80 | 149 | 247 |
| | 2010 r | 38 | 0 | 1 | 12 | 28 | 56 | 79 | 158 | 268 |
| | 2011 r | 38 | 0 | 2 | 15 | 35 | 57 | 83 | 142 | 228 |
| | 2012 | 39 | 0 | 2 | 11 | 36 | 58 | 81 | 143 | 266 |
| Leukaemia (C91-95) | 1950-52 | 4 | 2 | 2 | 3 | 4 | 7 | 9 | 10 | 10 |
| | 1960-62 | 5 | 2 | 1 | 2 | 4 | 10 | 15 | 17 | 16 |
| | 1970-72 | 5 | 2 | 1 | 2 | 4 | 7 | 12 | 27 | 26 |
| | 1980-82 | 5 | 1 | 1 | 2 | 3 | 5 | 14 | 26 | 40 |
| | 1990-92 | 5 | 1 | 2 | 2 | 3 | 6 | 13 | 24 | 37 |
| | 2000-02 r | 6 | 1 | 0 | 1 | 3 | 6 | 12 | 29 | 47 |
| | 2010-12 r | 6 | 1 | 1 | 1 | 2 | 5 | 13 | 35 | 54 |
| | 2000 | 6 | 1 | 1 | 2 | 4 | 4 | 11 | 37 | 52 |
| | 2001 | 6 | 1 | 0 | 1 | 3 | 8 | 15 | 25 | 58 |
| | 2002 r | 5 | 1 | 0 | 1 | 3 | 5 | 10 | 26 | 30 |
| | 2003 r | 7 | 1 | 1 | 1 | 3 | 7 | 17 | 26 | 70 |
| | 2004 r | 7 | 1 | 2 | 1 | 2 | 6 | 16 | 33 | 59 |
| | 2005 r | 6 | 1 | 1 | 1 | 2 | 5 | 18 | 28 | 48 |
| | 2006 r | 6 | 1 | 1 | 1 | 2 | 4 | 10 | 36 | 52 |
| | 2007 r | 5 | 1 | 0 | 1 | 2 | 4 | 15 | 21 | 52 |
| | 2008 r | 6 | 0 | 1 | 0 | 2 | 3 | 14 | 32 | 54 |
| | 2009 r | 6 | 0 | 1 | 1 | 2 | 6 | 14 | 29 | 48 |
| | 2010 r | 6 | 1 | 1 | 2 | 2 | 4 | 13 | 34 | 56 |
| | 2011 r | 6 | 1 | 0 | 0 | 1 | 5 | 14 | 35 | 48 |
| | 2012 | 6 | 1 | 1 | 0 | 2 | 4 | 13 | 35 | 59 |

Note

r - Rates for these years have been revised from those that were published in August 2013 (or earlier) as they are now calculated using the rebased population estimates which were published on 17th December 2013.