

Table 4.6 Stillbirth rates ¹, by sex ² and cause, Scotland, 2000 to 2010

ICD10 list	Cause of death		2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
	All causes	P	5.6	5.7	5.4	5.6	5.8	5.3	5.3	5.6	5.4	5.3	4.9
		M	6.3	6.0	5.7	5.7	6.2	4.9	5.3	5.9	5.8	5.2	5.2
		F	4.8	5.3	5.1	5.5	5.5	5.8	5.3	5.4	5.0	5.5	4.6
P00-P96	XVI. Certain conditions originating in the perinatal period of which	M	5.8	5.7	5.3	5.1	5.6	4.3	4.8	5.5	5.3	4.6	4.8
		F	4.5	4.9	4.6	5.1	5.0	5.1	4.9	5.0	4.4	4.8	4.1
P02	Fetus and newborn affected by complications of placenta, cord and membranes	M	1.3	1.4	0.7	1.5	1.0	1.0	0.8	1.1	0.9	1.0	1.2
		F	0.8	0.8	0.9	1.1	1.3	1.2	0.8	1.1	0.8	0.8	0.7
<i>P05-08</i>	<i>Disorders related to length of gestation and fetal growth</i>	<i>M</i>	<i>0.4</i>	<i>0.1</i>	<i>0.3</i>	<i>0.2</i>	<i>0.2</i>	<i>0.1</i>	<i>0.3</i>	<i>0.2</i>	<i>0.3</i>	<i>0.2</i>	<i>0.1</i>
		<i>F</i>	<i>0.1</i>	<i>0.2</i>	<i>0.2</i>	<i>0.2</i>	<i>0.4</i>	<i>0.2</i>	<i>-</i>	<i>0.1</i>	<i>0.2</i>	<i>0.2</i>	<i>0.1</i>
<i>P20-29</i>	<i>Respiratory and cardiovascular disorders specific to the perinatal period</i>	<i>M</i>	<i>0.3</i>	<i>0.3</i>	<i>0.3</i>	<i>0.1</i>	<i>0.2</i>	<i>0.2</i>	<i>0.2</i>	<i>0.1</i>	<i>0.1</i>	<i>0.1</i>	<i>0.1</i>
		<i>F</i>	<i>0.4</i>	<i>0.3</i>	<i>0.1</i>	<i>0.3</i>	<i>0.1</i>	<i>0.2</i>	<i>0.1</i>	<i>0.1</i>	<i>0.2</i>	<i>0.1</i>	<i>0.1</i>
Q00-Q99	XVII. Congenital malformations, deformations and chromosomal abnormalities	M	0.5	0.3	0.4	0.6	0.5	0.6	0.5	0.4	0.4	0.7	0.4
		F	0.3	0.4	0.5	0.5	0.5	0.7	0.3	0.3	0.6	0.7	0.5

¹ per 1,000 births (live and still).

² 'Males' includes any cases for which the sex was unknown.