

Table 6.13 Deaths aged under 90¹, years of 'working life'² lost and years of 'life to age 90'³ lost due to mortality from selected causes, per 10,000 population, Scotland, 2010

ICD Codes	Cause of death	Deaths aged under 90		Mean age at death ⁴ (if died under 90)	Years of life lost			
		Number	Rate per 10,000 population (all ages) ⁵		Working life (age 15-64)		Life to age 90	
					Years lost (thousands)	Years lost per 10,000 population (all ages) ⁵	Years lost (thousands)	Years lost per 10,000 population (all ages) ⁵
All causes	All	46,365	89	72	153	293	831	1,592
	Males	23,863	94	70	96	381	475	1,877
	Females	22,502	84	74	57	211	356	1,323
C00-97	Malignant neoplasms	M 7,489	30	72	17	66	139	548
		F 6,966	26	72	18	66	129	478
C18-21	Malignant neoplasm of colon and rectum	M 756	3	72	1	5	13	53
		F 651	2	73	1	5	11	41
C33-34	Malignant neoplasm of trachea, bronchus and lung	M 2,053	8	72	4	14	38	149
		F 1,877	7	72	3	13	34	128
C50	Malignant neoplasm of female breast	M 9	0	75	0	0	0	1
		F 940	3	69	4	14	20	74
C51-68	Malignant neoplasm of genitourinary organs	M 1,237	5	75	1	5	18	72
		F 995	4	71	3	11	19	72
C91-95	Leukaemia	M 215	1	71	1	2	4	16
		F 149	1	70	1	3	3	11
I00-I99	IX. DISEASES OF THE CIRCULATORY SYSTEM	M 7,319	29	73	17	68	125	494
		F 6,457	24	78	6	24	77	286
I20-25	Ischaemic heart diseases	M 4,246	17	72	10	41	76	301
		F 2,810	10	77	3	10	36	132
I05-15	Other heart disease and hypertension	M 165	1	70	1	2	3	13
		F 217	1	76	0	1	3	12
I60-69	Cerebrovascular diseases	M 1,660	7	76	3	10	23	91
		F 2,112	8	80	2	6	22	82
J00-J99	X. DISEASES OF THE RESPIRATORY SYSTEM	M 2,664	11	76	3	12	37	147
		F 2,878	11	77	3	11	37	138
J12-18	Pneumonia	M 771	3	77	1	4	10	39
		F 815	3	80	1	2	8	31
J40-46	Bronchitis, emphysema and asthma	M 1,108	4	75	1	4	16	65
		F 1,391	5	75	1	5	21	76
Rem. J00-99	Other diseases of the respiratory system	M 785	3	76	1	4	11	43
		F 672	2	78	1	3	8	31
Q00-Q99	XVII. CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES	M 82	0	27	3	11	5	20
		F 69	0	26	2	8	4	16
R95	Sudden infant death syndrome	M 14	0	0	1	3	1	5
		F 12	0	0	1	2	1	4
V01-X59	All accidental deaths	M 622	2	56	9	36	21	84
		F 433	2	70	3	11	9	33
V01-80, V87, V89, Y85	Motor vehicle traffic accidents	M 154	1	41	4	16	8	30
		F 64	0	49	1	5	3	10
X60-X84	Intentional self-harm	M 423	2	43	10	39	20	79
Y87.0		F 143	1	43	3	12	7	25

¹ The figures in this table relate only to people who died before their 90th birthdays.

² defined as: 50 for deaths aged under 15; (65 minus mid-point of relevant age-group) for deaths aged 15-64; and 0 for deaths aged 65 and over. For example, someone dying at 38 would be counted as losing 28 years of working life, because 37 is the mid-point of the 35-39 age-group and subtracting 37 from 65 gives 28.

³ defined as: (90 minus mid-point of relevant age-group) for deaths aged 0-89; and 0 for deaths aged 90 and over. For example, someone dying at 38 would be counted as losing 53 years of life, because 37 is the mid-point of the 35-39 age group and subtracting 37 from 90 gives 53.

⁴ this is calculated using the actual age (in whole years) at death, not using the mid-point of the relevant age-group

⁵ the population of all ages (including people aged 90 and over) is used as the denominator for the rate