

Table 6.13: Deaths aged under 90¹, years of 'working life'² lost and years of 'life to age 90'³ lost due to mortality from selected causes, per 10,000 population, Scotland, 2011

ICD Codes	Cause of death		Deaths aged under 90		Mean age at death ⁴ (if died under 90)	Years of life lost			
			Number	Rate per 10000 population (all ages) ⁵		Working life (age 15-64)		Life to age 90	
						Years lost (thousands)	Years lost per 10000 population (all ages) ⁵	Years lost (thousands)	Years lost per 10000 population (all ages) ⁵
All causes	All	All	45,921	88	72	153	292	820	1,570
	Males	Males	23,783	94	70	95	374	467	1,847
	Females	Females	22,138	82	74	58	215	353	1,310
C00-97	Malignant neoplasms	M	7,637	30	72	16	65	139	551
		F	6,914	26	71	19	70	129	480
C18-21	Malignant neoplasm of colon and rectum	M	793	3	72	2	7	14	56
		F	649	2	73	1	5	11	41
C33-34	Malignant neoplasm of trachea, bronchus and lung	M	2,145	8	72	3	14	39	153
		F	1,904	7	72	3	12	34	126
C50	Malignant neoplasm of breast	M	5	-	70	-	-	-	-
		F	963	4	67	5	18	22	83
C51-68	Malignant neoplasm of genitourinary organs	M	1,305	5	76	1	5	19	74
		F	950	4	71	3	11	18	68
C91-95	Leukaemia	M	216	1	69	1	3	4	17
		F	149	1	72	-	2	3	10
I00-I99	IX. DISEASES OF THE CIRCULATORY SYSTEM	M	6,964	28	73	16	63	118	465
		F	6,152	23	78	7	24	74	275
I20-25	Ischaemic heart diseases	M	3,996	16	72	10	39	72	283
		F	2,586	10	78	3	10	32	120
I05-15	Other heart disease and hypertension	M	210	1	72	1	2	4	15
		F	301	1	76	-	1	4	15
I60-69	Cerebrovascular diseases	M	1,521	6	76	2	8	21	84
		F	2,018	7	79	2	6	22	80
J00-J99	X. DISEASES OF THE RESPIRATORY SYSTEM	M	2,744	11	75	4	15	40	158
		F	2,825	10	77	3	12	36	136
J12-18	Pneumonia	M	632	2	77	1	4	8	33
		F	703	3	80	1	3	7	25
J40-46	Bronchitis, emphysema and asthma	M	1,262	5	75	1	6	19	75
		F	1,456	5	76	2	6	21	78
Rem. J00-99	Other diseases of the respiratory system	M	850	3	75	1	6	13	50
		F	666	2	77	1	4	9	32
Q00-Q99	XVII. CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES	M	70	-	28	2	9	4	17
		F	81	-	25	3	10	5	19
R95	Sudden infant death syndrome	M	17	-	-	1	3	1	6
		F	12	-	-	1	2	1	4
V01-X59	All accidental deaths	M	906	4	53	15	60	34	132
		F	500	2	66	4	16	12	44
V01-80, V87, V89, Y85	Motor vehicle traffic accidents	M	152	1	43	3	14	7	28
		F	53	-	51	1	3	2	8
X60-X84	Intentional self-harm	M	392	2	42	9	37	19	75
Y87.0		F	134	-	43	3	11	6	23

Footnotes

- 1) The figures in this table relate only to people who died before their 90th birthdays.
- 2) Defined as: 50 for deaths aged under 15; (65 minus mid-point of relevant age-group) for deaths aged 15-64; and 0 for deaths aged 65 and over. For example, someone dying at 38 would be counted as losing 28 years of working life, because 37 is the mid-point of the 35-39 age-group and subtracting 37 from 65 gives 28.
- 3) Defined as: (90 minus mid-point of relevant age-group) for deaths aged 0-89; and 0 for deaths aged 90 and over. For example, someone dying at 38 would be counted as losing 53 years of life, because 37 is the mid-point of the 35-39 age group and subtracting 37 from 90 gives 53.
- 4) This is calculated using the actual age (in whole years) at death, not using the mid-point of the relevant age-group.
- 5) The population of all ages (including people aged 90 and over) is used as the denominator for the rate.