

Table 6.07: Death rates from malignant neoplasms, by sex, age and selected sites, Scotland, 1950 to 2016

Site (ICD Codes)	Year	All ages	Age group									
			< 25	25-34	35-44	45-54	55-64	65-74	75-84	85-89	90+	
												85+
Males - rates per 100,000 population												
All sites (C00-97)	1950-52	206	9	23	66	234	555	1,066	1,690	1,633		
	1960-62	241	9	20	61	232	664	1,243	1,854	2,194		
	1970-72	272	8	19	56	217	663	1,423	2,150	2,461		
	1980-82	291	7	14	46	189	615	1,423	2,385	2,783		
	1990-92	314	5	10	42	171	576	1,416	2,445	3,361		
	2000-02	315	4	10	31	138	509	1,234	2,306	3,339	4,021	
	2010-12	309	3	10	27	101	385	1,013	2,105	3,273	3,986	
	2000	308	4	11	32	127	502	1,242	2,280	3,432	3,634	
	2001	319	4	7	29	148	524	1,227	2,352	3,381	3,895	
	2002	319	5	11	33	138	500	1,233	2,284	3,203	4,534	
	2003	313	4	12	25	121	475	1,164	2,319	3,360	4,351	
	2004	313	4	10	28	129	442	1,192	2,233	3,320	4,373	
	2005	311	3	11	33	128	429	1,135	2,266	3,210	3,995	
	2006	312	5	12	28	120	427	1,105	2,247	3,374	4,217	
	2007	312	4	9	26	114	426	1,096	2,245	3,113	4,569	
	2008	307	4	6	29	118	419	1,101	2,056	3,179	4,554	
	2009	305	2	8	28	112	404	1,065	2,100	3,077	4,087	
	2010	306	3	10	22	110	401	1,004	2,156	3,102	3,961	
	2011	311	3	11	29	95	378	1,045	2,125	3,309	4,065	
	2012	310	3	8	29	98	377	991	2,034	3,408	3,931	
	2013	314	3	8	26	104	369	971	2,034	3,431	3,916	
	2014	314	3	6	28	99	369	958	1,967	3,469	3,632	
	2015	321	3	12	27	111	362	980	1,959	3,115	4,456	
	2016	316	3	9	28	113	348	929	1,950	3,175	3,986	
	Oesophagus (C15)	1950-52	8	-	-	2	5	19	47	71	76	
		1960-62	7	-	-	1	4	15	38	75	87	
		1970-72	8	-	-	1	8	18	44	63	89	
1980-82		12	-	1	2	8	28	53	92	91		
1990-92		15	-	-	3	11	36	70	94	119		
2000-02		19	-	-	2	12	39	71	123	127	134	
2010-12		21	-	1	2	10	38	73	120	142	153	
2000		18	-	-	3	9	38	72	114	120	118	
2001		19	-	-	2	16	40	71	122	144	157	
2002		19	-	-	2	12	38	69	134	118	126	
2003		21	-	-	2	10	42	77	133	153	240	
2004		21	-	-	3	11	38	77	144	117	265	
2005		20	-	-	2	11	38	72	133	166	125	
2006		20	-	-	3	10	39	72	116	155	151	
2007		19	-	-	1	11	35	71	122	146	149	
2008		21	-	-	3	12	37	80	119	135	104	
2009		20	-	-	1	12	40	67	114	145	173	
2010		21	-	1	1	10	42	72	117	138	174	
2011		21	-	-	3	9	33	81	120	160	144	
2012		21	-	-	3	10	38	66	122	129	142	
2013		21	-	-	1	12	31	70	109	177	233	
2014		21	-	-	1	8	37	71	100	184	137	
2015		21	-	-	1	10	34	68	110	159	219	
2016		21	-	-	2	11	28	77	107	134	166	

Site (ICD Codes)	Year	All ages	Age group								85-89	90+	
			< 25	25-34	35-44	45-54	55-64	65-74	75-84	85+			
Males - rates per 100,000 population													
Stomach (C16)	1950-52	39	-	2	11	41	103	222	333		272		
	1960-62	34	-	1	10	34	84	185	287		327		
	1970-72	29	-	1	5	22	74	148	242		295		
	1980-82	24	-	-	3	19	49	125	191		227		
	1990-92	20	-	-	2	8	36	94	158		225		
	2000-02	15	-	1	2	6	24	59	116	169		215	
	2010-12	12	-	-	1	5	10	39	94	123		148	
	2000	15	-	-	2	6	21	61	118	168		202	
	2001	15	-	-	2	5	26	54	118	180		173	
	2002	16	-	1	2	7	25	61	111	160		271	
	2003	15	-	-	1	7	22	61	109	153		188	
	2004	15	-	1	1	5	15	58	111	154		298	
	2005	14	-	-	2	4	15	52	115	155		172	
	2006	14	-	-	2	5	13	53	110	115		181	
	2007	12	-	-	-	5	11	51	90	155		105	
	2008	12	-	-	1	4	16	37	90	153		149	
	2009	13	-	-	2	4	15	45	100	111		101	
	2010	13	-	-	1	5	11	48	103	113		174	
	2011	11	-	-	1	3	11	34	92	111		88	
	2012	12	-	-	1	6	9	36	86	145		183	
	2013	10	-	-	-	3	12	27	77	133		107	
	2014	11	-	-	1	3	13	28	70	158		200	
	2015	10	-	-	1	2	13	29	68	100		96	
	2016	10	-	1	1	4	13	24	73	92		92	
	Intestine (ex. rectum) (C17, C18)	1950-52	25	-	2	5	17	48	149	310		312	
		1960-62	21	-	1	3	13	44	105	244		381	
		1970-72	20	-	1	5	14	41	99	208		349	
1980-82		20	-	1	3	10	37	91	204		290		
1990-92		22	-	1	4	12	35	93	190		313		
2000-02		21	-	1	2	9	30	81	169	283		282	
2010-12		18	-	1	1	5	19	58	135	215		283	
2000		22	-	1	2	9	27	86	184	270		236	
2001		21	-	-	2	6	33	82	168	306		267	
2002		21	-	-	3	12	31	74	156	272		343	
2003		21	-	1	1	4	26	75	182	220		274	
2004		20	-	-	2	7	25	80	152	210		414	
2005		20	-	-	1	7	28	70	161	265		297	
2006		19	-	-	1	9	23	59	154	255		242	
2007		18	-	-	1	7	19	58	153	217		328	
2008		21	-	-	3	6	27	76	133	261		387	
2009		17	-	-	1	5	23	57	128	170		260	
2010		17	-	1	1	5	20	52	124	243		274	
2011		19	-	1	1	5	18	63	143	226		210	
2012		19	-	1	1	4	20	59	137	177		366	
2013		19	-	1	1	5	21	56	144	236		233	
2014		17	-	-	2	5	17	50	117	196		319	
2015		19	-	1	2	4	20	50	124	251		324	
2016		19	-	-	2	8	18	49	132	209		258	

Site (ICD Codes)	Year	All ages	Age group									
			< 25	25-34	35-44	45-54	55-64	65-74	75-84	85-89	90+	
										85+		
Males - rates per 100,000 population												
Rectum (C19-21)	1950-52	14	-	1	3	10	34	86	147		136	
	1960-62	12	-	1	3	8	25	67	142		207	
	1970-72	12	-	1	2	9	22	61	116		168	
	1980-82	11	-	-	1	9	22	53	106		127	
	1990-92	13	-	-	2	7	26	55	96		175	
	2000-02	14	-	-	1	7	25	57	91	114	252	
	2010-12	15	-	1	1	5	20	46	100	154	207	
	2000	14	-	-	-	5	25	58	88	180	185	
	2001	14	-	-	2	8	29	49	94	66	283	
	2002	14	-	1	2	8	20	63	90	95	289	
	2003	14	-	-	1	8	24	52	100	165	154	
	2004	15	-	1	1	9	18	56	113	154	232	
	2005	15	-	1	2	4	24	65	97	127	187	
	2006	15	-	1	1	6	22	57	108	125	212	
	2007	15	-	1	1	6	26	56	97	127	194	
	2008	13	-	-	2	8	20	48	86	112	149	
	2009	17	-	1	1	8	22	57	113	157	246	
	2010	15	-	1	1	4	20	52	107	130	187	
	2011	15	-	1	2	6	21	43	92	160	232	
	2012	15	-	1	1	5	18	42	102	173	203	
	2013	16	-	1	2	7	19	52	98	157	174	
	2014	14	-	-	1	6	18	35	91	177	191	
	2015	15	-	1	1	7	21	53	73	125	175	
	2016	16	-	-	2	5	17	44	106	124	183	
	Trachea, bronchus and lung (C33, C34)	1950-52	48	-	3	20	99	194	191	132		60
		1960-62	86	-	3	20	105	326	454	326		156
		1970-72	112	-	2	17	98	318	649	680		349
1980-82		119	-	1	11	75	288	627	879		671	
1990-92		111	-	1	7	54	227	563	822		782	
2000-02		93	-	1	4	35	162	418	680	748	567	
2010-12		83	-	1	4	24	110	316	564	739	590	
2000		91	-	1	4	34	160	404	695	833	538	
2001		94	-	-	4	35	165	423	680	689	550	
2002		95	-	-	3	37	161	428	665	722	614	
2003		90	-	1	3	31	146	374	678	643	719	
2004		88	-	1	4	35	139	377	614	654	596	
2005		89	-	-	5	35	138	358	649	696	624	
2006		87	-	1	4	28	129	353	634	776	589	
2007		90	-	-	5	30	138	337	663	730	687	
2008		84	-	-	3	27	127	337	575	710	580	
2009		87	-	-	6	27	128	336	586	727	664	
2010		83	-	-	4	29	111	311	565	750	673	
2011		86	-	1	3	22	108	341	582	731	608	
2012		81	-	1	6	20	110	295	544	737	488	
2013		82	-	-	4	24	102	295	525	762	659	
2014		82	-	-	5	26	95	295	517	673	583	
2015		79	-	-	5	26	89	293	481	586	692	
2016		79	-	-	5	26	94	261	490	658	707	

Site (ICD Codes)	Year	All ages	Age group										
			< 25	25-34	35-44	45-54	55-64	65-74	75-84	85-89	90+		
										85+			
Males - rates per 100,000 population													
Prostate (C61)	1950-52	13	-	-	-	2	16	87	211		222		
	1960-62	16	-	-	-	1	15	90	283		407		
	1970-72	14	-	-	-	1	16	73	234		431		
	1980-82	19	-	-	-	2	17	91	251		453		
	1990-92	27	-	-	-	2	20	107	332		613		
	2000-02	32	-	-	-	3	22	104	310	668		1,119	
	2010-12	34	-	-	-	1	19	80	292	658		1,059	
	2000	32	-	-	-	2	21	108	321	701		993	
	2001	32	-	-	-	3	23	99	317	653		1,099	
	2002	32	-	-	-	3	23	104	291	651		1,264	
	2003	32	-	-	-	2	23	99	303	747		1,045	
	2004	33	-	-	-	2	20	109	302	666		1,077	
	2005	31	-	-	-	2	15	92	296	669		1,030	
	2006	31	-	-	-	3	23	83	294	681		831	
	2007	32	-	-	-	1	18	97	275	570		1,299	
	2008	31	-	-	-	2	20	88	268	607		1,206	
	2009	31	-	-	-	2	17	89	282	536		953	
	2010	33	-	-	-	2	21	80	306	583		984	
	2011	35	-	-	-	1	18	82	301	673		1,138	
	2012	34	-	-	-	1	19	77	270	717		1,056	
	2013	34	-	-	-	3	17	77	272	644		911	
	2014	35	-	-	-	1	18	88	270	632		783	
	2015	38	-	-	-	3	21	93	264	564		1,261	
	2016	34	-	-	-	1	20	75	254	594		874	
	Leukaemia (C91-95)	1950-52	4	3	2	3	4	7	17	13		5	
		1960-62	6	3	2	3	5	9	25	30		44	
		1970-72	7	2	2	3	5	11	28	49		57	
1980-82		6	2	1	2	5	9	23	52		63		
1990-92		6	1	1	2	4	9	22	45		50		
2000-02		8	1	1	2	2	10	27	54	90		110	
2010-12		9	1	1	1	2	10	28	62	71		163	
2000		7	1	1	1	1	10	24	53	78		67	
2001		8	1	-	1	3	12	30	53	90		63	
2002		8	2	2	4	2	8	29	54	101		199	
2003		8	1	2	2	3	6	25	67	98		34	
2004		7	1	2	1	3	9	23	45	136		17	
2005		8	1	2	1	3	7	29	52	99		109	
2006		8	1	1	1	2	8	27	62	105		136	
2007		8	1	1	1	4	8	30	59	75		149	
2008		8	1	-	1	2	8	30	61	99		74	
2009		9	1	1	2	3	9	30	68	102		116	
2010		9	-	-	1	1	12	26	75	59		199	
2011		9	1	1	1	3	9	30	62	74		210	
2012		8	1	-	1	2	8	28	48	81		81	
2013		9	-	1	2	2	7	26	65	102		126	
2014		8	-	1	1	2	7	22	64	68		100	
2015		9	-	1	-	3	6	25	66	74		105	
2016		9	-	1	1	2	5	31	64	64		117	

Table 6.7 (continued)

Site (ICD Codes)	Year	All ages	Age group									
			< 25	25-34	35-44	45-54	55-64	65-74	75-84	85-89	90+	
										85+		
Females - rates per 100,000 population												
All sites (C00-97)	1950-52	185	6	21	83	198	394	758	1,228	1,449		
	1960-62	195	6	20	80	212	385	674	1,130	1,560		
	1970-72	218	5	19	68	219	407	688	1,139	1,660		
	1980-82	247	5	17	66	205	441	756	1,148	1,672		
	1990-92	278	4	16	58	183	446	854	1,276	1,763		
	2000-02	281	3	11	42	144	373	802	1,409	1,787	2,138	
	2010-12	279	2	10	40	119	327	734	1,376	1,880	2,208	
	2000	284	2	11	45	144	362	835	1,456	1,809	2,107	
	2001	282	3	10	43	144	389	791	1,421	1,814	2,020	
	2002	277	4	12	38	145	369	782	1,351	1,738	2,286	
	2003	284	3	12	40	132	375	800	1,418	1,727	2,426	
	2004	280	4	13	39	124	354	790	1,391	1,779	2,375	
	2005	282	3	11	46	131	363	766	1,404	1,813	2,265	
	2006	277	3	9	39	132	330	776	1,405	1,688	2,202	
	2007	280	3	12	38	134	340	781	1,355	1,797	2,433	
	2008	281	3	8	39	116	327	765	1,415	1,935	2,307	
	2009	276	3	12	39	122	329	743	1,352	1,887	2,285	
	2010	277	3	7	43	115	325	750	1,380	1,797	2,266	
	2011	273	3	11	37	124	323	728	1,323	1,865	2,060	
	2012	288	2	11	39	120	334	725	1,426	1,979	2,299	
	2013	283	3	11	38	116	318	725	1,349	1,980	2,250	
	2014	280	3	8	38	113	301	693	1,334	2,052	2,205	
	2015	279	2	14	30	118	280	703	1,316	2,005	2,376	
	2016	274	2	10	42	107	279	655	1,313	1,990	2,238	
	Oesophagus (C15)	1950-52	5	-	-	1	4	10	23	54	34	
		1960-62	5	-	-	1	4	9	22	35	71	
1970-72		7	-	-	1	4	10	22	47	80		
1980-82		9	-	-	1	4	13	28	53	73		
1990-92		11	-	-	1	4	15	31	62	104		
2000-02		11	-	-	-	3	10	29	65	93	104	
2010-12		10	-	-	-	2	10	26	59	87	84	
2000		11	-	-	-	3	12	29	64	77	103	
2001		11	-	-	1	3	7	30	67	87	100	
2002		11	-	-	-	4	11	29	63	115	109	
2003		10	-	-	-	2	11	24	63	85	150	
2004		11	-	-	-	3	12	31	57	103	119	
2005		11	-	-	1	3	10	33	69	64	118	
2006		10	-	-	-	2	12	25	71	56	85	
2007		11	-	-	-	2	10	33	69	88	77	
2008		12	-	-	-	4	10	27	67	100	115	
2009		9	-	1	-	2	10	25	46	63	87	
2010		10	-	-	-	3	10	23	65	90	62	
2011		10	-	-	-	2	9	30	60	84	73	
2012		10	-	-	-	1	12	25	52	86	118	
2013		11	-	-	1	4	8	23	60	80	124	
2014		11	-	-	1	3	8	25	67	104	95	
2015		10	-	-	-	2	10	22	51	78	85	
2016		10	-	-	1	3	12	19	55	62	72	

Site (ICD Codes)	Year	All ages	Age group								85-89	90+
			< 25	25-34	35-44	45-54	55-64	65-74	75-84	85+		
Females - rates per 100,000 population												
Stomach (C16)	1950-52	32	-	2	8	20	60	159	279		316	
	1960-62	27	-	1	5	15	42	110	219		364	
	1970-72	23	-	1	3	10	31	79	166		259	
	1980-82	18	-	1	2	6	18	56	114		180	
	1990-92	14	-	-	1	4	18	40	79		118	
	2000-02	11	-	1	2	3	8	27	66	81	93	
	2010-12	7	-	-	1	2	5	15	42	59	54	
	2000	11	-	1	1	3	8	29	70	89	89	
	2001	12	-	-	1	2	10	33	75	98	96	
	2002	9	-	1	3	3	7	19	53	55	94	
	2003	8	-	-	-	1	4	22	51	57	122	
	2004	10	-	1	1	4	5	28	51	90	124	
	2005	9	-	-	1	4	7	23	62	60	81	
	2006	8	-	-	2	2	6	22	42	74	85	
	2007	8	-	-	1	3	8	16	41	60	82	
	2008	8	-	-	1	3	5	20	45	69	87	
	2009	8	-	-	1	4	6	18	49	63	51	
	2010	6	-	1	1	2	4	18	35	52	37	
	2011	7	-	-	1	2	5	12	48	59	65	
	2012	7	-	-	1	2	4	14	42	67	59	
	2013	8	-	1	1	3	7	18	47	67	55	
	2014	7	-	-	1	2	7	12	36	79	56	
	2015	7	-	1	2	2	4	14	32	61	70	
	2016	5	-	-	1	2	5	6	25	58	38	
	Intestine (ex. Rectum) (C17, C18)	1950-52	29	-	1	7	22	49	127	287		382
		1960-62	26	-	2	6	16	47	94	207		342
		1970-72	29	-	1	3	14	47	90	199		360
1980-82		26	-	1	4	11	34	71	161		285	
1990-92		24	-	-	2	10	30	68	134		224	
2000-02		20	-	1	1	6	19	51	113	203	234	
2010-12		17	-	-	1	6	15	36	90	148	220	
2000		21	-	-	1	6	17	53	119	220	237	
2001		22	-	1	2	6	21	52	117	227	243	
2002		18	-	-	1	6	19	47	102	161	222	
2003		19	-	-	2	6	21	44	103	180	211	
2004		18	-	-	1	4	15	44	100	165	220	
2005		19	-	-	1	10	18	43	100	181	181	
2006		18	-	-	1	6	17	42	99	165	210	
2007		18	-	1	2	9	17	41	84	165	236	
2008		17	-	-	1	5	19	49	84	133	202	
2009		16	-	-	1	7	16	36	82	157	225	
2010		17	-	-	1	6	16	37	86	151	243	
2011		17	-	1	1	6	18	31	90	162	195	
2012		17	-	1	1	7	12	39	93	131	222	
2013		17	-	-	1	6	17	32	88	183	201	
2014		18	-	-	-	6	17	31	95	178	235	
2015		18	-	-	1	6	15	35	84	188	247	
2016		19	-	1	2	7	13	41	86	175	248	

Site (ICD Codes)	Year	All ages	Age group								85-89	90+
			< 25	25-34	35-44	45-54	55-64	65-74	75-84	85+		
Females - rates per 100,000 population												
Rectum (C19-21)	1950-52	9	-	1	2	8	19	43	58		58	
	1960-62	9	-	-	2	8	18	33	64		86	
	1970-72	10	-	-	1	6	15	34	61		113	
	1980-82	10	-	-	1	5	14	29	55		107	
	1990-92	10	-	-	2	5	15	29	53		91	
	2000-02	9	-	-	1	4	11	24	49	78	100	
	2010-12	11	-	-	2	6	13	25	55	92	102	
	2000	9	-	-	1	4	10	24	46	73	98	
	2001	9	-	1	-	3	13	23	49	77	109	
	2002	10	-	1	1	6	9	24	53	84	94	
	2003	11	-	-	-	8	14	27	55	77	141	
	2004	11	-	1	1	4	11	26	56	85	133	
	2005	9	-	-	-	5	10	19	48	83	77	
	2006	10	-	-	2	4	12	25	52	69	125	
	2007	11	-	-	-	3	11	29	56	84	127	
	2008	11	-	-	2	5	13	28	52	92	142	
	2009	12	-	-	1	7	12	32	54	94	87	
	2010	11	-	-	1	6	13	20	54	94	103	
	2011	10	-	1	1	5	12	28	46	80	92	
	2012	13	-	-	2	6	15	26	66	101	111	
	2013	10	-	-	2	4	11	20	49	86	77	
	2014	11	-	-	2	6	12	24	43	85	144	
	2015	10	-	1	1	4	10	20	55	65	92	
2016	11	-	-	2	5	11	21	48	105	93		
Trachea, bronchus and lung (C33, C34)	1950-52	10	-	1	6	12	29	40	50		24	
	1960-62	13	-	1	6	17	32	50	60		42	
	1970-72	24	-	1	8	33	61	77	94		76	
	1980-82	41	-	1	6	37	103	155	138		107	
	1990-92	57	-	-	6	32	106	239	233		183	
	2000-02	64	-	-	4	29	91	242	332	256	207	
	2010-12	74	-	-	3	23	98	241	378	402	299	
	2000	65	-	1	6	33	88	247	343	241	233	
	2001	62	-	-	3	28	90	232	324	248	195	
	2002	65	-	1	4	27	94	246	329	278	194	
	2003	65	-	1	4	22	93	225	349	297	216	
	2004	67	-	1	5	26	97	221	367	312	198	
	2005	68	-	-	5	23	100	225	373	317	240	
	2006	71	-	-	5	24	106	243	371	361	192	
	2007	70	-	-	3	27	93	245	365	332	290	
	2008	73	-	1	3	26	93	249	396	359	276	
	2009	72	-	-	6	24	94	246	377	385	248	
	2010	72	-	-	4	24	95	247	377	314	292	
	2011	72	-	-	2	22	96	242	366	427	283	
	2012	77	-	-	4	21	104	235	390	465	321	
	2013	73	-	-	2	19	93	235	364	439	267	
	2014	73	-	-	2	19	92	230	362	404	319	
	2015	71	-	-	3	19	80	230	351	399	360	
2016	70	-	-	4	17	76	208	367	429	355		

Site (ICD Codes)	Year	All ages	Age group								85-89	90+
			< 25	25-34	35-44	45-54	55-64	65-74	75-84	85+		
Females - rates per 100,000 population												
Breast (C50)	1950-52	31	-	2	22	48	66	110	151		181	
	1960-62	35	-	3	23	59	75	99	154		237	
	1970-72	40	-	5	24	62	86	110	151		240	
	1980-82	45	-	4	26	67	97	114	151		234	
	1990-92	48	-	5	19	58	90	119	177		281	
	2000-02	43	-	2	15	44	72	99	161	244	345	
	2010-12	38	-	2	13	33	57	81	147	228	302	
	2000	42	-	2	17	43	71	108	151	260	300	
	2001	43	-	2	15	47	80	90	170	232	339	
	2002	42	-	3	12	41	66	99	161	240	397	
	2003	43	-	3	14	38	74	105	166	200	418	
	2004	41	-	3	14	32	67	104	143	250	400	
	2005	43	-	2	15	41	71	89	161	250	448	
	2006	42	-	2	13	35	59	103	177	185	384	
	2007	40	-	3	12	34	65	91	144	231	385	
	2008	39	-	1	15	30	54	86	154	252	386	
	2009	37	-	3	14	29	56	80	149	175	409	
	2010	38	-	1	12	28	56	79	158	232	338	
	2011	38	-	2	15	35	57	83	142	200	280	
	2012	39	-	2	11	36	58	81	143	253	288	
	2013	37	-	3	10	31	52	76	142	198	354	
	2014	35	-	2	14	26	50	70	133	234	266	
	2015	36	-	3	10	32	43	74	128	215	398	
	2016	37	-	2	16	30	40	67	132	256	434	
	Leukaemia (C91-95)	1950-52	4	2	2	3	4	7	9	10		10
		1960-62	5	2	1	2	4	10	15	17		16
		1970-72	5	2	1	2	4	7	12	27		26
1980-82		5	1	1	2	3	5	14	26		40	
1990-92		5	1	2	2	3	6	13	24		37	
2000-02		6	1	1	1	3	6	12	29	46	49	
2010-12		6	1	1	1	2	5	13	35	41	79	
2000		6	1	1	2	4	4	11	37	54	49	
2001		6	1	-	1	3	8	15	25	59	56	
2002		5	1	-	1	3	5	10	26	46	49	
2003		7	1	1	1	3	7	17	26	67	75	
2004		7	1	2	1	2	6	16	33	52	73	
2005		6	1	1	1	2	5	18	28	45	54	
2006		6	1	1	1	2	4	10	36	45	67	
2007		5	1	-	1	2	4	15	21	49	59	
2008		6	-	1	-	2	3	14	32	52	60	
2009		6	-	1	1	2	6	14	29	43	60	
2010		6	1	1	2	2	4	13	34	40	87	
2011		6	1	-	-	1	5	14	35	42	57	
2012		6	1	1	-	2	4	13	35	40	92	
2013		5	-	-	1	1	4	12	28	38	80	
2014		6	-	1	-	2	4	13	26	37	74	
2015		6	-	1	1	3	3	12	29	61	60	
2016		6	-	-	1	1	6	12	31	58	72	