

Table 6.13: Deaths aged under 90¹, years of 'working life'² lost and years of 'life to age 90'³ lost due to mortality from selected causes, per 10,000 population, Scotland, 2016

ICD Codes	Cause of death	Deaths aged under 90		Mean age at death ⁴ (if died under 90)	Years of life lost			
		Number	Rate per 10,000 population (all ages) ⁵		Working life (age 15-64)		Life to age 90	
					Years lost (thousands)	Years lost per 10,000 population (all ages) ⁵	Years lost (thousands)	Years lost per 10,000 population (all ages) ⁵
All causes	All	47,458	88	72	144	267	810	1,499
	Males	24,827	94	71	90	343	467	1,776
	Females	22,631	81	74	54	195	343	1,236
C00-97	Malignant neoplasms	M 7,824	30	72	15	59	138	525
		F 6,948	25	72	16	59	121	437
C18-21	Malignant neoplasm of colon and rectum	M 820	3	72	2	6	14	54
		F 694	2	73	2	6	11	41
C33-34	Malignant neoplasm of trachea, bronchus and lung	M 1,996	8	72	3	12	35	134
		F 1,851	7	73	2	9	31	111
C50	Malignant neoplasm of breast	M 8	-	63	-	-	-	1
		F 894	3	68	4	15	19	69
C51-68	Malignant neoplasm of genitourinary organs	M 1,404	5	75	1	5	20	75
		F 1,044	4	71	3	10	19	69
C91-95	Leukaemia	M 219	1	73	-	2	4	14
		F 150	1	74	-	1	2	9
I00-I99	IX. DISEASES OF THE CIRCULATORY SYSTEM	M 6,714	26	73	14	53	109	416
		F 5,532	20	78	6	22	65	236
I20-25	Ischaemic heart diseases	M 3,546	13	72	8	31	62	237
		F 2,171	8	77	2	7	27	97
I05-15	Certain ther heart disease and hypertension	M 269	1	74	-	1	4	16
		F 294	1	78	-	1	3	12
I60-69	Cerebrovascular diseases	M 1,429	5	76	2	7	19	72
		F 1,729	6	79	2	6	19	67
J00-J99	X. DISEASES OF THE RESPIRATORY SYSTEM	M 2,841	11	75	4	13	40	151
		F 2,980	11	77	3	10	38	135
J12-18	Pneumonia	M 582	2	76	1	4	8	30
		F 576	2	79	1	3	6	23
J40-46	Bronchitis, emphysema and asthma	M 1,333	5	75	1	5	19	74
		F 1,648	6	76	1	5	23	82
Rem. J00-99	Other diseases of the respiratory system	M 926	4	76	1	4	12	47
		F 756	3	78	1	2	9	31
Q00-Q99	XVII. CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES	M 100	-	31	3	11	6	22
		F 79	-	38	2	7	4	15
R95	Sudden infant death syndrome	M 11	-	0	1	2	1	4
		F 7	-	0	-	1	1	2
V01-X59	All accidental deaths	M 1,216	5	53	20	75	44	169
		F 688	2	62	8	28	19	69
V01-80, V87, V89, Y85	Motor vehicle traffic accidents	M 137	1	43	3	12	6	24
		F 58	-	44	1	5	3	10
X60-X84	Intentional self-harm	M 437	2	44	9	35	20	75
Y87.0		F 164	1	45	3	12	7	26

Footnotes

1) The figures in this table relate only to people who died before their 90th birthdays.

2) Defined as: 50 for deaths aged under 15; (65 minus age at death) for deaths aged 15-64; and 0 for deaths aged 65 and over. For example, someone dying at 38 would be counted as losing 27 years of working life and someone dying at 53 would be counted as losing 12 years of working life.

3) Defined as: (90 minus age at death) for deaths aged 0-89; and 0 for deaths aged 90 and over. For example, someone dying at 38 would be counted as losing 52 years of life, and someone dying at 53 would be counted as losing 37 years of life.

4) This is calculated using the actual age (in whole years) at death.

5) The population of all ages (including people aged 90 and over) is used as the denominator for the rate.

6) The methodology for calculating years of life lost was revised on publication of the 2013 reference tables to bring it into line with other sources.