

**Table 6.7: Death rates from malignant neoplasms, by sex, age and selected sites, Scotland, 1950 to 2015**

Site (ICD Codes)	Year	All ages	Age group								
			<25	25-34	35-44	45-54	55-64	65-74	75-84	85+	
<b>Males - rates per 100,000 population</b>											
All sites (C00-97)	1950-52	206	9	23	66	234	555	1,066	1,690	1,633	
	1960-62	241	9	20	61	232	664	1,243	1,854	2,194	
	1970-72	272	8	19	56	217	663	1,423	2,150	2,461	
	1980-82	291	7	14	46	189	615	1,423	2,385	2,783	
	1990-92	314	5	10	42	171	576	1,416	2,445	3,361	
	2000-02	315	4	10	31	138	509	1,234	2,306	3,513	
	2010-12	309	3	10	27	101	385	1,013	2,105	3,463	
	2000	308	4	11	32	127	502	1,242	2,280	3,485	
	2001	319	4	7	29	148	524	1,227	2,352	3,523	
	2002	319	5	11	33	138	500	1,233	2,284	3,531	
	2003	313	4	12	25	121	475	1,164	2,319	3,621	
	2004	313	4	10	28	129	442	1,192	2,233	3,606	
	2005	311	3	11	33	128	429	1,135	2,266	3,415	
	2006	312	5	12	28	120	427	1,105	2,247	3,584	
	2007	312	4	9	26	114	426	1,096	2,245	3,462	
	2008	307	4	6	29	118	419	1,101	2,056	3,498	
	2009	305	2	8	28	112	404	1,065	2,100	3,307	
	2010	306	3	10	22	110	401	1,004	2,156	3,318	
	2011	311	3	11	29	95	378	1,045	2,125	3,514	
	2012	310	3	8	29	98	377	991	2,034	3,556	
	2013	314	3	8	26	104	369	971	2,034	3,571	
	2014	314	3	6	28	99	369	958	1,967	3,516	
	2015	321	3	12	27	111	362	980	1,959	3,512	
	Oesophagus (C15)	1950-52	8	-	-	2	5	19	47	71	76
		1960-62	7	-	-	1	4	15	38	75	87
		1970-72	8	-	-	1	8	18	44	63	89
		1980-82	12	-	1	2	8	28	53	92	91
1990-92		15	-	-	3	11	36	70	94	119	
2000-02		19	-	-	2	12	39	71	123	129	
2010-12		21	-	-	2	10	38	73	120	145	
2000		18	-	-	3	9	38	72	114	119	
2001		19	-	-	2	16	40	71	122	148	
2002		19	-	-	2	12	38	69	134	120	
2003		21	-	-	2	10	42	77	133	176	
2004		21	-	-	3	11	38	77	144	157	
2005		20	-	-	2	11	38	72	133	155	
2006		20	-	-	3	10	39	72	116	154	
2007		19	-	-	1	11	35	71	122	147	
2008		21	-	-	3	12	37	80	119	128	
2009		20	-	-	1	12	40	67	114	151	
2010		21	-	1	1	10	42	72	117	147	
2011		21	-	-	3	9	33	81	120	156	
2012		21	-	-	3	10	38	66	122	133	
2013		21	-	-	1	12	31	70	109	193	
2014		21	-	-	1	8	37	71	100	170	
2015		21	-	-	1	10	34	68	110	176	

Table 6.7 (continued)

Site (ICD Codes)	Year	All ages	Age group								
			<25	25-34	35-44	45-54	55-64	65-74	75-84	85+	
<b>Males - rates per 100,000 population</b>											
Stomach (C16)	1950-52	39	-	2	11	41	103	222	333	272	
	1960-62	34	-	1	10	34	84	185	287	327	
	1970-72	29	-	1	5	22	74	148	242	295	
	1980-82	24	-	-	3	19	49	125	191	227	
	1990-92	20	-	-	2	8	36	94	158	225	
	2000-02	15	-	1	2	6	24	59	116	181	
	2010-12	12	-	-	1	5	10	40	93	130	
	2000	15	-	-	2	6	21	61	118	177	
	2001	15	-	-	2	5	26	54	118	178	
	2002	16	-	1	2	7	25	61	111	187	
	2003	15	-	-	1	7	22	61	109	162	
	2004	15	-	1	1	5	15	58	111	193	
	2005	14	-	-	2	4	15	52	115	159	
	2006	14	-	-	2	5	13	53	110	132	
	2007	12	-	-	-	5	11	51	90	143	
	2008	12	-	-	1	4	16	37	90	152	
	2009	13	-	-	2	4	15	45	100	108	
	2010	13	-	-	1	5	11	48	103	129	
	2011	11	-	-	1	3	11	34	92	105	
	2012	12	-	-	1	6	9	36	86	156	
	2013	10	-	-	-	3	12	27	77	126	
	2014	11	-	-	1	3	13	28	70	170	
	2015	10	-	-	1	2	13	29	68	99	
	Intestine (ex. rectum) (C17, C18)	1950-52	25	-	2	5	17	48	149	310	312
		1960-62	21	-	1	3	13	44	105	244	381
		1970-72	20	-	1	5	14	41	99	208	349
		1980-82	20	-	1	3	10	37	91	204	290
1990-92		22	-	1	4	12	35	93	190	313	
2000-02		21	-	-	2	9	31	81	169	282	
2010-12		18	-	1	1	5	20	58	135	234	
2000		22	-	1	2	9	27	86	184	261	
2001		21	-	-	2	6	33	82	168	295	
2002		21	-	-	3	12	31	74	156	290	
2003		21	-	1	1	4	26	75	182	234	
2004		20	-	-	2	7	25	80	152	265	
2005		20	-	-	1	7	28	70	161	273	
2006		19	-	-	1	9	23	59	154	252	
2007		18	-	-	1	7	19	58	153	243	
2008		21	-	-	3	6	27	76	133	290	
2009		17	-	-	1	5	23	57	128	190	
2010		17	-	1	1	5	20	52	124	251	
2011		19	-	1	1	5	18	63	143	221	
2012		19	-	1	1	4	20	59	137	231	
2013		19	-	1	1	5	21	56	144	235	
2014		17	-	-	2	5	17	50	117	232	
2015		19	-	1	2	4	20	50	124	272	

Table 6.7 (continued)

Site (ICD Codes)	Year	All ages	Age group								
			<25	25-34	35-44	45-54	55-64	65-74	75-84	85+	
<b>Males - rates per 100,000 population</b>											
Rectum (C19-21)	1950-52	14	-	1	3	10	34	86	147	136	
	1960-62	12	-	1	3	8	25	67	142	207	
	1970-72	12	-	1	2	9	22	61	116	168	
	1980-82	11	-	-	1	9	22	53	106	127	
	1990-92	13	-	-	2	7	26	55	96	175	
	2000-02	14	-	-	1	7	25	57	91	150	
	2010-12	15	-	1	1	5	20	46	100	169	
	2000	14	-	-	-	5	25	58	88	181	
	2001	14	-	-	2	8	29	49	94	126	
	2002	14	-	1	2	8	20	63	90	143	
	2003	14	-	-	1	8	24	52	100	162	
	2004	15	-	1	1	9	18	56	113	175	
	2005	15	-	1	2	4	24	65	97	143	
	2006	15	-	1	1	6	22	57	108	147	
	2007	15	-	1	1	6	26	56	97	143	
	2008	13	-	-	2	8	20	48	86	121	
	2009	17	-	1	1	8	22	57	113	177	
	2010	15	-	1	1	4	20	52	107	144	
	2011	15	-	1	2	6	21	43	92	180	
	2012	15	-	1	1	5	18	42	102	182	
	2013	16	-	1	2	7	19	52	98	162	
	2014	14	-	-	1	6	18	35	91	181	
	2015	15	-	1	1	7	21	53	73	140	
	Trachea, bronchus and lung (C33, C34)	1950-52	48	-	3	20	99	194	191	132	60
		1960-62	86	-	3	20	105	326	454	326	156
		1970-72	112	-	2	17	98	318	649	680	349
		1980-82	119	-	1	11	75	288	627	879	671
1990-92		111	-	1	7	54	227	563	822	782	
2000-02		93	-	-	4	35	162	418	680	701	
2010-12		83	-	1	4	24	110	316	564	698	
2000		91	-	1	4	34	160	404	695	755	
2001		94	-	-	4	35	165	423	680	651	
2002		95	-	-	3	37	161	428	665	696	
2003		90	-	1	3	31	146	374	678	663	
2004		88	-	1	4	35	139	377	614	638	
2005		89	-	-	5	35	138	358	649	677	
2006		87	-	1	4	28	129	353	634	730	
2007		90	-	-	5	30	138	337	663	720	
2008		84	-	-	3	27	127	337	575	680	
2009		87	-	-	6	27	128	336	586	713	
2010		83	-	-	4	29	111	311	565	731	
2011		86	-	1	3	22	108	341	582	697	
2012		81	-	1	6	20	110	295	544	666	
2013		82	-	-	4	24	102	295	525	732	
2014		82	-	-	5	26	95	295	517	647	
2015		79	-	-	5	26	89	293	481	617	

Table 6.7 (continued)

Site (ICD Codes)	Year	All ages	Age group								
			<25	25-34	35-44	45-54	55-64	65-74	75-84	85+	
<b>Males - rates per 100,000 population</b>											
Prostate (C61)	1950-52	13	-	-	-	2	16	87	211	222	
	1960-62	16	-	-	-	1	15	90	283	407	
	1970-72	14	-	-	-	1	16	73	234	431	
	1980-82	19	-	-	-	2	17	91	251	453	
	1990-92	27	-	-	-	2	20	107	332	613	
	2000-02	32	-	-	-	3	22	104	310	786	
	2010-12	34	-	-	-	1	20	80	292	765	
	2000	32	-	-	-	2	21	108	321	777	
	2001	32	-	-	-	3	23	99	317	777	
	2002	32	-	-	-	3	23	104	291	803	
	2003	32	-	-	-	2	23	99	303	825	
	2004	33	-	-	-	2	20	109	302	778	
	2005	31	-	-	-	2	15	92	296	763	
	2006	31	-	-	-	3	23	83	294	718	
	2007	32	-	-	-	1	18	97	275	745	
	2008	31	-	-	-	2	20	88	268	746	
	2009	31	-	-	-	2	17	89	282	631	
	2010	33	-	-	-	2	21	80	306	684	
	2011	35	-	-	-	1	18	82	301	799	
	2012	34	-	-	-	1	19	77	270	813	
	2013	34	-	-	-	3	17	77	272	721	
	2014	35	-	-	-	1	18	88	270	676	
	2015	38	-	-	-	3	21	93	264	770	
	Leukaemia (C91-95)	1950-52	4	3	2	3	4	7	17	13	5
		1960-62	6	3	2	3	5	9	25	30	44
		1970-72	7	2	2	3	5	11	28	49	57
		1980-82	6	2	1	2	5	9	23	52	63
1990-92		6	1	1	2	4	9	22	45	50	
2000-02		8	1	1	2	2	10	27	54	94	
2010-12		9	1	1	1	2	10	28	62	95	
2000		7	1	1	1	1	10	24	53	75	
2001		8	1	-	1	3	12	30	53	82	
2002		8	2	2	4	2	8	29	54	125	
2003		8	1	2	2	3	6	25	67	81	
2004		7	1	2	1	3	9	23	45	103	
2005		8	1	2	1	3	7	29	52	102	
2006		8	1	1	1	2	8	27	62	113	
2007		8	1	1	1	4	8	30	59	93	
2008		8	1	-	1	2	8	30	61	93	
2009		9	1	1	2	3	9	30	68	105	
2010		9	-	-	1	1	12	26	75	94	
2011		9	1	1	1	3	9	30	62	111	
2012		8	1	-	1	2	8	28	48	81	
2013		9	-	1	2	2	7	26	65	109	
2014		8	-	1	1	2	7	22	64	77	
2015		9	-	1	-	3	6	25	66	83	

Table 6.7 (continued)

Table 6.7 (continued)

Site (ICD Codes)	Year	All ages	Age group							
			<25	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Females - rates per 100,000 population</b>										
All sites	1950-52	185	6	21	83	198	394	758	1,228	1,449
(C00-97)	1960-62	195	6	20	80	212	385	674	1,130	1,560
	1970-72	218	5	19	68	219	407	688	1,139	1,660
	1980-82	247	5	17	66	205	441	756	1,148	1,672
	1990-92	278	4	16	58	183	446	854	1,276	1,763
	2000-02	281	3	11	42	144	373	802	1,409	1,907
	2010-12	279	2	10	40	119	327	734	1,376	1,995
	2000	284	2	11	45	144	362	835	1,456	1,912
	2001	282	3	10	43	144	389	791	1,421	1,886
	2002	277	4	12	38	145	369	782	1,351	1,923
	2003	284	3	12	40	132	375	800	1,418	1,969
	2004	280	4	13	39	124	354	790	1,391	1,993
	2005	282	3	11	46	131	363	766	1,404	1,969
	2006	277	3	9	39	132	330	776	1,405	1,859
	2007	280	3	12	38	134	340	781	1,355	2,001
	2008	281	3	8	39	116	327	765	1,415	2,051
	2009	276	3	12	39	122	329	743	1,352	2,009
	2010	277	3	7	43	115	325	750	1,380	1,955
	2011	273	3	11	37	124	323	728	1,323	1,934
	2012	288	2	11	39	120	334	725	1,426	2,095
	2013	283	3	11	38	116	318	725	1,348	2,079
	2014	280	3	8	38	113	301	693	1,333	2,109
	2015	279	2	14	30	118	280	703	1,316	2,141
Oesophagus	1950-52	5	-	-	1	4	10	23	54	34
(C15)	1960-62	5	-	-	1	4	9	22	35	71
	1970-72	7	-	-	1	4	10	22	47	80
	1980-82	9	-	-	1	4	13	28	53	73
	1990-92	11	-	-	1	4	15	31	62	104
	2000-02	11	-	-	-	3	10	29	65	97
	2010-12	10	-	-	-	2	10	26	59	86
	2000	11	-	-	-	3	12	29	64	86
	2001	11	-	-	1	3	7	30	67	91
	2002	11	-	-	-	4	11	29	63	113
	2003	10	-	-	-	2	11	24	63	108
	2004	11	-	-	-	3	12	31	57	109
	2005	11	-	-	1	3	10	33	69	83
	2006	10	-	-	-	2	12	25	71	65
	2007	11	-	-	-	2	10	33	69	84
	2008	12	-	-	-	4	10	27	67	105
	2009	9	-	1	-	2	10	25	46	71
	2010	10	-	-	-	3	10	23	65	81
	2011	10	-	-	-	2	9	30	60	80
	2012	10	-	-	-	1	12	25	52	98
	2013	11	-	-	1	4	8	23	60	96
	2014	11	-	-	1	3	8	25	67	100
	2015	10	-	-	-	2	10	22	51	80

Table 6.7 (continued)

Site (ICD Codes)	Year	All ages	Age group								
			<25	25-34	35-44	45-54	55-64	65-74	75-84	85+	
<b>Females - rates per 100,000 population</b>											
Stomach (C16)	1950-52	32	-	2	8	20	60	159	279	316	
	1960-62	27	-	1	5	15	42	110	219	364	
	1970-72	23	-	1	3	10	31	79	166	259	
	1980-82	18	-	1	2	6	18	56	114	180	
	1990-92	14	-	-	1	4	18	40	79	118	
	2000-02	11	-	1	2	3	8	27	66	85	
	2010-12	7	-	-	1	2	5	15	42	58	
	2000	11	-	1	1	3	8	29	70	89	
	2001	12	-	-	1	2	10	33	75	97	
	2002	9	-	1	3	3	7	19	53	68	
	2003	8	-	-	-	1	4	22	51	80	
	2004	10	-	1	1	4	5	28	51	102	
	2005	9	-	-	1	4	7	23	62	67	
	2006	8	-	-	2	2	6	22	42	77	
	2007	8	-	-	1	3	8	16	41	67	
	2008	8	-	-	1	3	5	20	45	75	
	2009	8	-	-	1	4	6	18	49	59	
	2010	6	-	1	1	2	4	18	35	47	
	2011	7	-	-	1	2	5	12	48	61	
	2012	7	-	-	1	2	4	14	42	64	
	2013	8	-	1	1	3	7	18	47	63	
	2014	7	-	-	1	2	7	12	36	70	
	2015	7	-	1	2	2	4	14	32	65	
	Intestine (ex. Rectum) (C17, C18)	1950-52	29	-	1	7	22	49	127	287	382
		1960-62	26	-	2	6	16	47	94	207	342
		1970-72	29	-	1	3	14	47	90	199	360
		1980-82	26	-	1	4	11	34	71	161	285
1990-92		24	-	-	2	10	30	68	134	224	
2000-02		20	-	-	1	6	19	51	113	213	
2010-12		17	-	-	1	6	15	36	90	173	
2000		21	-	-	1	6	17	53	119	226	
2001		22	-	1	2	6	21	52	117	233	
2002		18	-	-	1	6	19	47	102	181	
2003		19	-	-	2	6	21	44	103	191	
2004		18	-	-	1	4	15	44	100	185	
2005		19	-	-	1	10	18	43	100	181	
2006		18	-	-	1	6	17	42	99	180	
2007		18	-	1	2	9	17	41	84	188	
2008		17	-	-	1	5	19	49	84	155	
2009		16	-	-	1	7	16	36	82	178	
2010		17	-	-	1	6	16	37	86	182	
2011		17	-	1	1	6	18	31	90	174	
2012		17	-	1	1	7	12	39	93	164	
2013		17	-	-	1	6	17	32	88	189	
2014		18	-	-	-	6	17	31	95	199	
2015		18	-	-	1	6	15	35	84	210	

Table 6.7 (continued)

Site (ICD Codes)	Year	All ages	Age group								
			<25	25-34	35-44	45-54	55-64	65-74	75-84	85+	
<b>Females - rates per 100,000 population</b>											
Rectum (C19-21)	1950-52	9	-	1	2	8	19	43	58	58	
	1960-62	9	-	-	2	8	18	33	64	86	
	1970-72	10	-	-	1	6	15	34	61	113	
	1980-82	10	-	-	1	5	14	29	55	107	
	1990-92	10	-	-	2	5	15	29	53	91	
	2000-02	9	-	-	1	4	11	24	49	86	
	2010-12	11	-	-	2	6	13	25	55	95	
	2000	9	-	-	1	4	10	24	46	82	
	2001	9	-	1	-	3	13	23	49	88	
	2002	10	-	1	1	6	9	24	53	87	
	2003	11	-	-	-	8	14	27	55	99	
	2004	11	-	1	1	4	11	26	56	102	
	2005	9	-	-	-	5	10	19	48	81	
	2006	10	-	-	2	4	12	25	52	88	
	2007	11	-	-	-	3	11	29	56	97	
	2008	11	-	-	2	5	13	28	52	108	
	2009	12	-	-	1	7	12	32	54	92	
	2010	11	-	-	1	6	13	20	54	97	
	2011	10	-	1	1	5	12	28	46	84	
	2012	13	-	-	2	6	15	26	66	105	
	2013	10	-	-	2	4	11	20	49	83	
	2014	11	-	-	2	6	12	24	43	107	
	2015	10	-	1	1	4	10	20	55	75	
	Trachea, bronchus and lung (C33, C34)	1950-52	10	-	1	6	12	29	40	50	24
		1960-62	13	-	1	6	17	32	50	60	42
		1970-72	24	-	1	8	33	61	77	94	76
		1980-82	41	-	1	6	37	103	155	138	107
1990-92		57	-	-	6	32	106	239	233	183	
2000-02		64	-	-	4	29	91	242	332	239	
2010-12		74	-	-	3	23	98	241	378	365	
2000		65	-	1	6	33	88	247	343	238	
2001		62	-	-	3	28	90	232	324	230	
2002		65	-	1	4	27	94	246	329	250	
2003		65	-	1	4	22	93	225	349	269	
2004		67	-	1	5	26	97	221	367	271	
2005		68	-	-	5	23	100	225	373	290	
2006		71	-	-	5	24	106	243	371	305	
2007		70	-	-	3	27	93	245	365	319	
2008		73	-	1	3	26	93	249	396	333	
2009		72	-	-	6	24	94	246	377	343	
2010		72	-	-	4	24	95	247	377	307	
2011		72	-	-	2	22	96	242	366	376	
2012		77	-	-	4	21	104	235	390	413	
2013		73	-	-	2	19	93	235	364	376	
2014		73	-	-	2	19	92	230	362	372	
2015		71	-	-	3	19	80	230	351	384	

Table 6.7 (continued)

Site (ICD Codes)	Year	All ages	Age group								
			<25	25-34	35-44	45-54	55-64	65-74	75-84	85+	
<b>Females - rates per 100,000 population</b>											
Breast (C50)	1950-52	31	-	2	22	48	66	110	151	181	
	1960-62	35	-	3	23	59	75	99	154	237	
	1970-72	40	-	5	24	62	86	110	151	240	
	1980-82	45	-	4	26	67	97	114	151	234	
	1990-92	48	-	5	19	58	90	119	177	281	
	2000-02	43	-	2	15	43	72	99	161	279	
	2010-12	38	-	2	13	33	57	81	147	254	
	2000	42	-	2	17	43	71	108	151	274	
	2001	43	-	2	15	47	80	90	170	269	
	2002	42	-	3	12	41	66	99	161	293	
	2003	43	-	3	14	38	74	105	166	275	
	2004	41	-	3	14	32	67	104	143	304	
	2005	43	-	2	15	41	71	89	161	318	
	2006	42	-	2	13	35	59	103	177	251	
	2007	40	-	3	12	34	65	91	144	281	
	2008	39	-	1	15	30	54	86	154	294	
	2009	37	-	3	14	29	56	80	149	247	
	2010	38	-	1	12	28	56	79	158	268	
	2011	38	-	2	15	35	57	83	142	228	
	2012	39	-	2	11	36	58	81	143	266	
	2013	37	-	3	10	31	52	76	142	255	
	2014	35	-	2	14	26	50	70	133	246	
	2015	36	-	3	10	32	43	74	128	282	
	Leukaemia (C91-95)	1950-52	4	2	2	3	4	7	9	10	10
		1960-62	5	2	1	2	4	10	15	17	16
		1970-72	5	2	1	2	4	7	12	27	26
		1980-82	5	1	1	2	3	5	14	26	40
1990-92		5	1	2	2	3	6	13	24	37	
2000-02		6	1	-	1	3	6	12	29	47	
2010-12		6	1	1	1	2	5	13	35	54	
2000		6	1	1	2	4	4	11	37	52	
2001		6	1	-	1	3	8	15	25	58	
2002		5	1	-	1	3	5	10	26	30	
2003		7	1	1	1	3	7	17	26	70	
2004		7	1	2	1	2	6	16	33	59	
2005		6	1	1	1	2	5	18	28	48	
2006		6	1	1	1	2	4	10	36	52	
2007		5	1	-	1	2	4	15	21	52	
2008		6	-	1	-	2	3	14	32	54	
2009		6	-	1	1	2	6	14	29	48	
2010		6	1	1	2	2	4	13	34	56	
2011		6	1	-	-	1	5	14	35	48	
2012		6	1	1	-	2	4	13	35	59	
2013		5	-	-	1	1	4	12	28	53	
2014		6	-	1	-	2	4	13	26	51	
2015		6	-	1	1	3	3	12	29	61	